

C2150-624^{Q&As}

IBM Security QRadar Risk Manager V7.2.6 Administration

Pass IBM C2150-624 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2150-624.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is needed to send the same events and flows to separate data centers or geographically separate sites and enable data redundancy in IBM Security QRadar SIEM V7.2.8?

- A. A Flashcopy or GlobalMirror License.
- B. A dark fibre network and proper configuration of the backup and recovery feature.
- C. A load balancer or other method to deliver the same data to mirrored appliances.
- D. Use the Backup and Recovery automation feature in QRadar and a dedicated fiber channel connection.

Correct Answer: C

Distribute the same event and flow data to two live sites by using a load balancer or other method to deliver the same data to mirrored appliances. Each site has a record of the log data that is sent.

QUESTION 2

An Administrator using IBM Security QRadar SIEM V7.2.8 is using the following RegEx to extract an email address:

```
(.+@[^\.]*\.[a-z]{2,}$)
```

What does the "[a-z]" portion capture?

- A. The literal string "a-z".
- B. The letter a or the letter z.
- C. Any lower case letter from b to y.
- D. Any lower case letter from a to z.

Correct Answer: A

QUESTION 3

What IBM Security QRadar SIEM V7.2.8 component can be added to Flow and Event Processors to increase processing capacity and memory, for enhancing search performance?

- A. Data Node
- B. Data Indexer
- C. QFlow Collector

D. Advanced Correlation Engine

Correct Answer: C

QUESTION 4

An Administrator working within IBM Security QRadar SIEM V7.2.8 has a network hierarchy that cannot support anymore network objects. To remedy this, they want to implement a supernet. Some of the customer CIDRs are:

-209.60.128.0/24

-209.60.129.0/24

-209.60.130.0/24

-

209.60.131.0/24

Which supernet should be used to shrink the amount of network objects for the supplied group of CIDRs?

A.

209.60.128.0/22

B.

209.60.129.0/23

C.

209.60.128.0/23

D.

209.60.127.0/27

Correct Answer: C

Supernetting, also called Classless Inter-Domain Routing (CIDR), is a way to aggregate multiple Internet addresses of the same class. Using supernetting, the network address 209.60.128.0/24 and an adjacent address 209.60.129.0/24 can be merged into 209.60.128.0/23. The "23" at the end of the address says that the first 23 bits are the network part of the address, leaving the remaining nine bits for specific host addresses

QUESTION 5

What is the minimum required IBM Security QRadar SIEM software level to upgrade directly to V7.2.8?

A. QRadar 7.2.3

B. QRadar 7.2.4

C. QRadar 7.2.6

D. QRadar 7.2.7 Patch1

Correct Answer: B

[Latest C2150-624 Dumps](#)

[C2150-624 PDF Dumps](#)

[C2150-624 Braindumps](#)