C2180-184^{Q&As}

IBM WebSphere Message Broker V7.0 System Administration

Pass IBM C2180-184 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/C2180-184.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

In configuring a WebSphere Message Broker to run in a multi-instance mode, a NFS V4 share is created and mounted on nodes A and B. Which of the following steps does an administrator need to take before a multi-instance broker can be created?

A. Create a queue manager on each node and add them in a cluster.

B. Create a queue manager on each node using the same queue manager name.

C. Create shared directories and then a multi-instance queue manager.

D. Create shared directories and then a queue manager on each node.

Correct Answer: C

QUESTION 2

A multi-instance broker has been created on nodes A and B. To verify the multi-instance broker, an administrator starts the broker on node A and then on node B, and then runs the command mqsilist. What state of the broker will be displayed if the multi-instance broker is running successfully? The broker is running:

A. in active mode on both nodes A and B.

B. in active mode on node A and stopped mode on node B.

C. in active mode on node A and in standby mode on node B.

D. in active mode on node B and in standby mode on node A.

Correct Answer: C

QUESTION 3

An administrator needs to use WebSphere Message Broker 7.0 with an existing high availability (HA) manager HACMP. The administrator has created and added the broker to the HA environment. How should the administrator start the broker?

A. Use the support pack IC91.

B. Use the HACMP SupportPac.

C. Use the mqsistart command.

D. Use the hamqsi_start_broker script file.

Correct Answer: D

QUESTION 4

An administrator has been requested to create a security profile by using either the mqsicreateconfigurableservice command or the WebSphere Message Broker Explorer. The purpose of the security profile is to use external security providers to provide the required security enforcement and mapping. Which of the following types of security profiles can be defined for an external security provider?

A. X.509

B. LDAP

C. SAML

D. WS-Trust v1.0

E. WS-Trust v1.3

Correct Answer: BE

QUESTION 5

To verify a successful installation using the WebSphere Message Broker Explorer, the administrator performs the following steps:

1.

 Create a default configuration.

2.

 Deploy a broker archive.

What is the next step to take?

A. Check the trace file.

B. Check the system logs.

C. Check the software package list.

D. Check the results of a deployment.

Correct Answer: D

[C2180-184 PDF Dumps](#)   [C2180-184 Study Guide](#)   [C2180-184 Exam Questions](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: