

C2180-410^{Q&As}

IBM MQ V8.0, System Administration

Pass IBM C2180-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/c2180-410.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

An application needs to clear a local queue using PCF commands. The application is getting reason code 2035 MQRC_NOT_AUTHORIZED. Channel authentication records are disabled.

What are the minimum required permissions a system administrator needs to assign to the application users?

- A. All authority to the queue manager object.
- B. A blank MCAUSER in the server connection channel.
- C. Connect authority to the queue manager object and Clear authority to the queue.
- D. Connect and Control authority to the queue manager object and ALL MQI authority to the queue.

Correct Answer: B

QUESTION 2

A JMS 2.0 application running on z/OS specifies a delivery delay of 20 seconds when sending messages. What must the system administrator do to support the delivery delay?

- A. Set TCP Delivery Delay for the listener to 20.
- B. Ensure SYSTEM.DDELAY.LOCAL.QUEUE exists as a local queue.
- C. Configure SetDeliveryDelay (20000) for the connection factory.
- D. Configure SetDeliveryDelay (20000) for SYSTEM.DDELAY.LOCAL.QUEUE.

Correct Answer: C

QUESTION 3

While monitoring a message queue, a system administrator finds a continuous growth of unused topic node subscriptions on a queue manager. Which parameter should the system administrator decrease to reduce unwanted topisc?

- A. PUBSUB
- **B. TPCOUNT**
- C. TREELIFE
- D. SUBCOUNT

Correct Answer: C

QUESTION 4



A system administrator migrated IBM MQ for z/OS from V7.1 to V8.0.

What operation mode allows the system administrator to backward migrate an existing queue manager?

- A. OPMODE = (COMPAT, 7.1)
- B. OPMODE = (COMPAT, 710)
- C. OPMODE = (NEWFUNC, 7.1.0)
- D. OPMODE = (NEWFUNC, 800)

Correct Answer: B

QUESTION 5

The security exit code for a RECEIVER channel has been modified.

What does the system administrator have to do to activate the changed security exit with minimum impact to the running systems?

- A. Stop and restart the queue manager.
- B. Stop and restart the channel from the SENDER size.
- C. Issue command REFRESH SECURITY TYPE(EXIT).
- D. Issue command ALTER CHANNEL () SCYEXIT() SCYDATA (`REFRESH\\')

Correct Answer: D

Latest C2180-410 Dumps C2180-410 VCE Dumps C2180-410 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © lead4pass, All Rights Reserved.