

C4090-454^{Q&As}

IBM High-End Tape Technical Solutions V7

Pass IBM C4090-454 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c4090-454.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A newly installed TS7720 Virtualization Engine has recently been integrated into a three-way grid. The logical volumes created in the other two systems are not properly being replicated to the new system. All local IBM and customer support resources have been exhausted in trying to determine the cause with no resolution in sight. What should be the next step to try to resolve the issue via IBM?

- A. Contact local PSR to escalate
- B. Contact the local SSR to escalate
- C. Contact the local software provider to escalate
- D. Contact the sales representative to escalate

Correct Answer: D

QUESTION 2

In a TS7740 two-way grid Cluster 0 is the production site and Cluster 1 is the remote DR site. The scratch volume category for the production site is 0012 and DR site's scratch volume category is 0022. Before a DR test is started, several DR system updates must be in place to protect the production scratch volumes from being allocated during the test. Assuming Selective Write Protect is enabled, which of the following is one step that must be taken?

- A. Update the DR TCDB volume entries to change the production volumes from 0012 to 0022
- B. Update the DR system's DEVSUPxx parmlib member to use a unique scratch volume category
- C. Disconnect the grid link connections to ensure production volumes are not updated in the remote cluster during the DR test
- D. Run the Return To Scratch process from the DR system to ensure the production and DR system volumes are in sync and protected during a DR test

Correct Answer: B

QUESTION 3

A customer wants to encrypt data written to tape drives. A competitor offers an encryption solution that encrypts the data before sending to the tape drives for compression. IBM wants to offer IBM TS1140 tape drives using the built-in encryption feature. Which competitive advantage does the IBM solution provide?

- A. The TS1140 offers the most secure encryption method available on the market
- B. The TS1140 encrypts and compresses data at the same time for best throughput
- C. The TS1140 encrypts data before compressing in order to obtain best performance
- D. The TS1140 compresses data before encrypting in order to obtain the best compression ratio

Correct Answer: D

QUESTION 4

Which of the following functions is a competitive advantage of IBM enterprise tape over other vendor tape technologies?

- A. Built-in data compression
- B. Self-encrypting tape drives
- C. Capacity scaling capability for cartridges
- D. Backwards compatibility with previous generation tapes

Correct Answer: C

QUESTION 5

What is the maximum number of 3490 control units that can be defined in HOD for a TS7700?

- A. 16
- B. 32
- C. 64
- D. 256

Correct Answer: A

[C4090-454 VCE Dumps](#)

[C4090-454 Exam Questions](#)

[C4090-454 Braindumps](#)