

C6030-042^{Q&As}

Developing with IBM Enterprise PL/I

Pass IBM C6030-042 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c6030-042.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following declarations is NOT accepted by the compiler?

- A. DCL A (3,3) FLOAT DEC (16) INIT ((3)(3)1);
- B. DCL B (3,3) FLOAT DEC (16) INIT ((3)(1), (2)(1,1,1));
- C. DCL C (3,3) FLOAT DEC (16) INIT ((9)1);
- D. DCL D (3,3) FLOAT DEC (16) INIT ((*)1);

Correct Answer: A

QUESTION 2

Given the following declaration, which code does NOT initialize C completely?

DCL 1 A,

2 B DIM (0:9),

3 C DIM (5) FIXED BIN (31),

3 D CHAR (100) VAR;

- A. 3 C DIM (5) FIXED BIN (31) INIT ((50)1),
- B. 3 C DIM (5) FIXED BIN (31) INIT ((5)1,(*)2),
- C. 3 C DIM (5) FIXED BIN (31) INIT ((HSOUND(C,1))(0)),
- D. 3 C DIM (5) FIXED BIN (31) INIT ((*)1),

Correct Answer: C

QUESTION 3

What happens after executing the following code, assuming the input file has more than 1 record?

```
DCL INPFILE FILE RECORD INPUT ENV(VB RECSIZE(100)); DCL P PTR; DCL B CHAR(100) VARYING
```

```
BASED(P);
```

```
DCLC CHAR(110) VARYING BASED(P);
```

```
READ FILE(INPFILE) SET(P);
```

```
C=B!! \\EXTENDED
```

```
READ FILE(INPFILE) SET(P);
```

- A. Two records are read.
- B. The results are unpredictable.
- C. Protection exception because of the reference to B.
- D. ENDFILE condition is raised on the second read.

Correct Answer: B

QUESTION 4

Given the following code, which call will pass a dummy argument?

```
PROG: PROC OPTIONS(MAIN);  
  
DCL SUM01 DEC FIXED(5,0) INIT (7);  
  
DCL SUM02 DEC FIXED(9,0) INIT (999);  
  
CALL SUBA(SUM01,  
SUM02);  
  
CALL SUSB(SUM01,  
SUM02);  
  
CALL SUBC(SUM01,  
SUM02);  
  
CALL SUBD(SUM01,  
SUM02);  
  
SUBA PROC( PRM1,  
PRM2);  
  
DCL PRM1 DEC FIXED (5,0) BYVALUE,  
PRM2 DEC FIXED (9,0);  
  
END SUBA;  
  
SUBB: PROC( PRM1,  
PRM2);  
  
DCL PRM1 DEC FIXED (5,0),  
PRM2 DEC FIXED (9,0);  
  
END SUBD;
```

```
SUBC: PROC( PRM 1,  
PRM2);  
DCL PRM1 BIN FIXED (15,0),  
PRM2 DEC FIXED (9,0);  
END SUBC;  
SUBD: PROC( PRM 1,  
PRM2);  
DCL PRM1 DEC FIXED(5,0) BYADDR,  
PRM2 DEC FIXED (9,0) SYADDP;  
END SUBD;  
END PROG;
```

- A. Call to SUBA
- B. Call to SUBB
- C. Call to SUBC
- D. Call to SUBD

Correct Answer: C

QUESTION 5

Which of the following statements about the newest PL/I compiler is NOT suitable to convince a stakeholder that migration to the new PL/I compiler is necessary?

- A. The new compiler takes advantage of the current machine instruction set.
- B. The new compiler provides new language features.
- C. The new compiler will tolerate more erroneous code.
- D. The new compiler is necessary because current versions of DB2 and CICS only officially support compilers which are "in service".

Correct Answer: C

[Latest C6030-042 Dumps](#)

[C6030-042 Practice Test](#)

[C6030-042 Braindumps](#)