

C9010-022^{Q&As}

IBM AIX Administration V1

Pass IBM C9010-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c9010-022.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Where is Cluster Aware AIX cluster configuration data stored?

- A. A shared disk that is accessible from all nodes
- B. A NFS filesystem that is accessible by all nodes
- C. A shared system pool that is accessible by all nodes
- D. A master copy on one node and the data is replicated to the local disk of the other nodes

Correct Answer: A

QUESTION 2

With regard to an existing AIX 5.2 installation, what source format is required by the mkwpar command to create a Versioned WPAR of this existing system?

- A. SPOT
- B. MKSYSB
- C. RAW
- D. OVA

Correct Answer: B

QUESTION 3

Given the following characteristics, tuning which resource will provide the greatest benefit?

CPU=80% busy

Physical Memory=90% used

Disks=80% busy

Network=80% used

Filesystems are 90% full.

- A. Memory
- B. Network
- C. Disks

D. Filesystems

Correct Answer: C

QUESTION 4

What must be done to change the default AIX login screen, which is displayed before the login prompt, when a system is accessed using telnet?

- A. Add the desired text to the `/etc/motd` file.
- B. Edit the `herald` field in the `/etc/security/login.cfg` file.
- C. Update the `MESG` environment variable in `/etc/environment`.
- D. Add the `LC_FASTMSG` environment variable to `/etc/profile`.

Correct Answer: B

QUESTION 5

When migrating an LPAR utilizing Live Partition Mobility (LPM), which statement is correct?

- A. The source and destination systems must be managed by different HMC devices.
- B. The destination system must have the same virtual adapter slots free on its VIO Server as the source system.
- C. Physical disk attributes for backing devices must have the same reservation policy set on both source and target VIO Servers.
- D. LPARs with dedicated I/O adapters can be migrated using LPM, provided the same dedicated I/O adapters are available on the destination system.

Correct Answer: C

[Latest C9010-022 Dumps](#)

[C9010-022 VCE Dumps](#)

[C9010-022 Practice Test](#)