

C9010-022^{Q&As}

IBM AIX Administration V1

Pass IBM C9010-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/c9010-022.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is required for a volume group to be eligible for automatic Geographic Logical Volume Mirroring (GLVM) mirroring?

- A. The volume group must be created as a Scalable Volume Group.
- B. The volume group must be managed by Cluster Aware AIX.
- C. The volume group must be concurrent capable.
- D. The volume group has at least two LVM mirror pools defined.

Correct Answer: A

QUESTION 2

What TWO situations require a Systems Director Management Console (SDMC) instead of a Hardware Management Console (HMC)?

(Select 2)

- A. Managing POWER5, POWER6 and POWER7 servers from one interface.
- B. Creating automation plans that perform specific functions on a given event.
- C. Implementing Active Memory Sharing (AMS).
- D. Utilizing Integrated Virtualization Manager (IVM) to manage Power Systems blades.
- E. Managing Power Blades and Power Systems standalone servers from one interface.

Correct Answer: BE

QUESTION 3

A user has found the keyboard backspace key will not delete text. How can the user set the keyboard backspace key to delete?

- A. splp-b
- B. Add " Backspace" to user .profile and re-logon activate
- C. Export LC_CTYPE=BackSpace variable and run command stty-s
- D. stty erase ^?

Correct Answer: D

QUESTION 4

In the following graphic, the administrator created an additional paging space using smit mkps. The paging space is not active. What is necessary to start using the new paging space?

```

                                Add Another Paging Space

Type or select values in entry fields.
Press Enter AFTER making all desired changes.

                                [Entry Fields]
volume group name                pgvg
SIZE of paging space (in logical partitions) [1024]
PHYSICAL VOLUME name
Start using this paging space NOW?      no
Use this paging space each time the system is
    RESTARTED?                          no
Checksum Size                          []
    
```

- A. Use swapon to activate the new paging space.
- B. Reboot the server to activate the new paging space.
- C. Vary on the pgvg volume group prior to creating the new paging space.
- D. Use chps with the -a y flag to activate the new paging space for immediate use.

Correct Answer: A

QUESTION 5

After recovering the rootvg from a backup, how can an administrator determine which disks contain the DB2 volume group?

```

# lspv
hdisk0      00f6711d77695bbb   rootvg   active
hdisk1      00f6711d77696215   None
hdisk2      00f6711d7e34b601   None
hdisk3      00f6711d7e34b6c4   None
    
```

- A. Use the alt_disk_copy command to read the VGDA on the disk.
- B. Use the lspv command to show the logical volumes on the disk.
- C. Use the lqueryvg command to show the logical volumes on the disk.
- D. Use the lsvg command to display the volume group name on the disk

Correct Answer: C

[C9010-022 Study Guide](#)

[C9010-022 Exam Questions](#)

[C9010-022 Braindumps](#)