

C9010-030^{Q&As}

IBM i Administration V1

Pass IBM C9010-030 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c9010-030.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An administrator needs to secure a physical file that will have an exclusive lock by an application job. Which object-level security will allow adding and removing private authorities without causing downtime for the application?

- A. Private Authority
- B. Primary Group
- C. Owner
- D. Authorization list

Correct Answer: D

QUESTION 2

An administrator needs to perform an FTP transmission of a large quantity of bin files. How can the task be completed in the least number of steps?

- A. Run the FTP processes using a submitted CL program
- B. Place each FTP command in individual job schedule entries.
- C. Use save files rather than .bin images to improve TCP transfer efficiency.
- D. Submit multiple FTP jobs through an interface where Jumbo Frames are enabled.

Correct Answer: B

QUESTION 3

An administrator is recovering a single image system after a crash. The administrator has placed the latest SAVSYS into the external SAS TS2900 LTO tape drive and performed a D-Mode IPL.

Why is the system failing to find the SAVSYS media?

- A. The TS2900 is an alternate installation device and requires an I_BASE_01 DVD in the alternate IPL device.
- B. The TS2900 requires Alternate IPL Enablement feature to boot the SAVSYS.
- C. The I_BASE_01 DVD must be loaded up to SST before a SAS tape device is recognized.
- D. The TS2900 is an alternate IPL device but not an alternate installation device.

Correct Answer: D

QUESTION 4

The HMC is backed up in two different ways for different purposes. Which identifies the correct tasks and usage?

- A. 1) Backup Critical System data is used prior to a firmware update 2) Save Upgrade Data is used for crash recovery purposes
- B. 1) Create Recoverable Image is used for crash recovery purposes 2) Save Upgrade Data is used prior to a firmware update
- C. 1) Save Upgrade Data is used prior to a firmware update 2) Back Up Management Console Data is used for crash recovery purposes
- D. 1) Back Up Profile Data is used prior to a firmware update 2) Create Recoverable Image is used for crash recovery purposes

Correct Answer: D

QUESTION 5

A CL program that runs after an IPL must complete and errors will be researched at a later time. How can all CPF messages be acknowledged so the program continues running?

- A. Add a MONMSG(CPF0000) command immediately before the ENDPGM command.
- B. Add a MONMSG(CPF0000) command after the ENDPGM command.
- C. Add a MONMSG(CPF0000) command immediately after the PGM command.
- D. Add a MONMSG(CPF0000) command before the PGM command.

Correct Answer: C

[Latest C9010-030 Dumps](#)

[C9010-030 PDF Dumps](#)

[C9010-030 Braindumps](#)