

C9530-410^{Q&As}

IBM MQ V8.0 System Administration

Pass IBM C9530-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c9530-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The connection status is `Disconnected` for a Remote Queue Manager in the MQ Explorer. An attempt to connect to the Remote Queue Manager results in an error:

Command server not responding within timeout period. AMQ4032 Which MQSC command should the system administrator use to check if the command server is running?

- A. DISPLAY QMGR SCMDSERV
- B. DISPLAY QMSTATUS SCMDSERV
- C. DISPLAY SERVICE STARTCMD
- D. DISPLAY LSSTATUS COMMANDS

Correct Answer: B

QUESTION 2

A system administrator needs to ensure that MQ activity messages are created for an application message as it is routed through MQ network. What must the system administrator verify? choose 3

- A. The application has PUT authority to the activity message queues.
- B. The application message specifies that activity reports are to be generated.
- C. The MCA channels have been restarted after the configuration changes were made.
- D. Activity recording is enabled on every queue manager in the network.
- E. MQI statistics monitoring is enabled on every queue manager in the network.
- F. Queue manager events are enabled for every queue manager in the network.

Correct Answer: BCE

QUESTION 3

IBM MQ will be installed into a multi-instance queue manager environment. After defining the shared file system, the system administrator created the queue manager QMA on the first server. How can the system administrator create the second queue manager in order for it to be the standby instance?

- A. Change the STANDBY option in the queue manager object to PERMITTED.
- B. Use `dspmqinf` on the first server and `addmqinf` on the second server.
- C. Use `crtmqm` with the option that allows the queue manager to be created as the standby.

D. Use crtmqm to create the queue manager on the second server and copy /var/mqm from the rst server.

Correct Answer: A

QUESTION 4

While monitoring a message queue, a system administrator nds a continuous growth of unused topic node subscriptions on a queue manager.

Which parameter should the system administrator decrease to reduce unwanted topics?

- A. PUBSUB
- B. TPCOUNT
- C. TREELIFE
- D. SUBCOUNT

Correct Answer: C

QUESTION 5

A client application with IP address 10.2.2.2 connecting to a queue manager needs to be blocked for security purposes.

Which command does system administrator need to run to block this client application?

- A. SET CHLAUTH * TYPE BLOCKADDR ADDRLIST10.2.2.2
- B. SET CHLAUTH * TYPE BLOCKADDR IPADDR10.2.2.2 USERSCR BLOCK
- C. SET CHLAUTH * TYPE ADDRESSMAP ADDRESS10.2.2.2 USERSCR BLOCK
- D. SET CHLAUTH * TYPE ADDRESSMAP ADDRESSMAP 10.2.2.2 USERSCR BLOCKADDR

Correct Answer: C

[Latest C9530-410 Dumps](#)

[C9530-410 Practice Test](#)

[C9530-410 Exam Questions](#)