

## C9530-410<sup>Q&As</sup>

IBM MQ V8.0 System Administration

**Pass IBM C9530-410 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c9530-410.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

On a Sun Solaris system, applications cannot connect to a queue manager QMI and are getting reason code 2009 MQRC CONNECTION BROKEN.

- A. What are the commands a system administrator can issue to check the queue manager status?
- B. If the queue manager does not end with the endmqm -i command, what does the system administrator need to do to be able to restart the non-responsive queue manager?
- C. a. dspmqm, runmqsc QMI
- D. Delete and recreate the queue manager
- E. a. PING QMGR
- F. Restore the queue manager from backup
- G. a. dspmqm
- H. Kill all the MQ processes with the kill -9 command.
- I. a. dspmq, runmqsc QMI
- J. Stop the queue manager manually, using the procedure from the product documentation.

Correct Answer: C

---

**QUESTION 2**

A system administrator installed IBM MQ V8.0 on AIX. Business rules require complete recovery of messages on queues to avoid data loss and a quick restart of IBM MQ V8.0 to minimize messaging outages.

What must the system administrator do to make MQ compliant with these business rules?

- A. De ne circular logging and backup/opt/mqm regularly.
- B. De ne LogFilePages = 128kb and back up /usr/mqm regularly.
- C. De ne linear logging and persistent messages, and back up /var/mqm regularly.
- D. Create a queue manager as persistent and back up /usr/mqm regularly.

Correct Answer: D

---

**QUESTION 3**

A system administrator needs to check the settings of a channel definition table on a client system that has only MQ

client software installed.

How can the system administrator check the local channel definition table on the client system?

- A. Export the MQCHLTAB environment variable.
- B. Use a text editor to view the AMQCLCHL.TAB file.
- C. Use MQ Explorer to view the client connection settings.
- D. Enter `runmqsc -n` and use the `DIS CHLCLNTCONN` command.

Correct Answer: A

---

**QUESTION 4**

A system administrator needs to generate report messages that show the sequence of MQI calls that an application sends.

What must the system administrator do to generate these messages?

- A. Run the `dspmqrte` command.
- B. Set the `STATMQIONA` attribute on the queue manager.
- C. Set the `ACTVTRCONA` attribute on the queue manager.
- D. Set the `ACTIVRECMSCA` attribute on the queue manager.

Correct Answer: C

---

**QUESTION 5**

While monitoring a message queue, a system administrator notices a continuous growth of unused topic node subscriptions on a queue manager.

Which parameter should the system administrator decrease to reduce unwanted topics?

- A. PUBSUB
- B. TPCOUNT
- C. TREELIFE
- D. SUBCOUNT

Correct Answer: C