

## C9550-412<sup>Q&As</sup>

IBM Business Process Management Express or Standard Edition  
V8.5.5, BPM Application Development

### Pass IBM C9550-412 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c9550-412.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official  
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1


A BPM Application developer is creating a coach view that allows other developers to reuse this coach view to create a flow on the Diagram of a Human Service. How must the BPM application developer configure the coach view?

- A. Enable the "Can Fire a Boundary Event" option in the Overview tab.
- B. Enable the "Prototype-level Event Handlers" option in the Overview tab.
- C. Create the following change event handler in the Behavior tab: `this.contextHandler()`
- D. Create an IMD dependency to the `com.ibm.bpm.coach.controls.utilities` Module in the behavior tab.

Correct Answer: C

## QUESTION 2

A new business process application is being created with several business process definitions (BPD). One of them is shown in the exhibit:



The following requirement should be met:

The first user task should be assigned automatically to the user who starts this top level BPD. A BPM application developer is creating a new business process application that is required to have no deprecated features.

How should the BPM application developer configure the assignment for this user task?

- A. Select Last User in the User Distribution field
- B. Select Last User in Lane in the Assign to field
- C. Select Last User in the User Distribution field and Last User in Lane in the Assign to field
- D. Select Custom in the Assign to field and write `tw.system.step.user` into the Expression field

Correct Answer: D

**QUESTION 3**

After deploying a new snapshot and migrating in-flight instances to the new snapshot, a BPM application developer has found some instances with orphaned tokens. Which API must the BPM application developer use to manage the orphaned tokens?

- A. Java
- B. REST
- C. JavaScript
- D. Web Services

Correct Answer: B

---

**QUESTION 4**

An existing Case Type implementation is initiated either by adding documents of a specific document type to the BPM document management environment or manually by knowledge workers. Now, the case type needs to be enhanced, to initiate case instances programmatically.

How does the BPM application developer provide the capability?


- A. Drag the case type onto a swim lane
- B. Drag the case integration service onto a swim lane
- C. Use a JavaScript API function in a Script
- D. Use a REST API for case in a REST call

Correct Answer: A

---

**QUESTION 5**

A BPM Application developer is reviewing a Business Process Diagram (BPD) for a colleague. The following section of activities is present in the System Lane:



The reviewer is aware that this pattern can cause performance issues but has other reasons for not wanting to merge the separate service implementations. What can the BPM application developer do to improve the performance of this section without having to manually refactor the sequence?

- A. Use the optimize Execution of Latency property on BPD.

- B. Use the BPM Optimizer to merge the sequence into a single Activity.
- C. Use the Optimize Service for Latency property in the first two services.
- D. Use the Optimize Connector for Latency property of the flow line between each Activity in the sequence.

Correct Answer: D

[C9550-412 PDF Dumps](#)

[C9550-412 Exam Questions](#)

[C9550-412 Braindumps](#)