

C9550-605^{Q&As}

IBM WebSphere Enterprise Service Bus V7.0 Integration Development

Pass IBM C9550-605 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c9550-605.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An integration solutions developer needs to create a module with a many-to-many mapping between service requesters and service providers supporting Web services.

Using the patterns explorer, which pattern would be most appropriate?

- A. Proxy Service Gateway
- B. Static Service Gateway
- C. Dynamic Service Gateway
- D. Dynamic Simple Service Proxy

Correct Answer: A

QUESTION 2

An integration developer has been tasked with consolidating common artifacts that are currently defined and used in separate unrelated mediation modules.


Which of the following should be done?

- A. Both common business objects and common XML maps should be consolidated into a shared library.
- B. Neither common business objects nor common XML maps should be consolidated into a shared library.
- C. Business objects used by XML maps should not be consolidated into a shared library, but common XML maps should be
- D. XML maps should not be consolidated into a shared library but common business objects used in XML maps should be.

Correct Answer: C

QUESTION 3

Refer to the Exhibit.



An integration developer needs to get the 'output' value of the operation 'invoke' from within the 'getOutputCustom' primitive of the response flow shown in the exhibit. Which of the following code snippets must be used?

- A. `String output = smo.getDataObject("invoke").getString("output");`
- B. `String output = smo.getDataObject("invokeResponse").getString("output");`
- C. `String output = smo.getDataObject("body").getDataObject("invoke").getString("output");`
- D. `String output = smo.getDataObject("body").getDataObject("invokeResponse").getString("output");`

Correct Answer: D

QUESTION 4

An integration development team is developing a mediation flow. A custom requirement is that in the event an error occurs at any point in the mediation flow, a copy of the entire SMO is to be placed into the server log for the system administrator to examine. How should the integration development team BEST implement this requirement?

- A. Change the server logging settings to log SMO messages.
- B. Wire a Trace primitive to each failure terminal and set the destination property to 'Local Server Log'.
- C. Wire a Message Logger primitive to each failure terminal and set the Logging type to 'Local Server Log'.
- D. Wire a Custom primitive to each failure terminal and insert `System.err.println(smo)` into the Details section.

Correct Answer: B

QUESTION 5

An integration developer needs to perform an iteration over an array of elements using the Fan Out - Fan In primitives.

Where in the Service Message Object (SMO) can the integration developer find the data of each occurrence of the repeating element?

- A. In the body section.
- B. In the user context section.
- C. In the shared context section.
- D. In the primitive context section.

Correct Answer: C

[C9550-605 VCE Dumps](#)

[C9550-605 Practice Test](#)

[C9550-605 Braindumps](#)