

## C9550-605<sup>Q&As</sup>

IBM WebSphere Enterprise Service Bus V7.0 Integration Development

### Pass IBM C9550-605 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c9550-605.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An integration developer has developed an application that emits events through the Common Event Infrastructure. The log level has been set to FINE. The events include business object data.

Which log file should be used to examine the business object data\?

- A. SystemOut.log of the node agent
- B. SystemOut.log of the deployment manager
- C. SystemOut.log of the application target server
- D. SystemErr.log of the application target server

Correct Answer: A

---

**QUESTION 2**

An integration team is developing a new mediation flow.

The team has a requirement that when an error occurs at any point in any of the mediation flows, the error must be logged and handled in the exact same fashion regardless of the point of failure.

What is the BEST way to implement this requirement within the mediation flow? Implement the error handling mechanism:

- A. using a Trace primitive to log the required information.
- B. using the Message Logger primitive wired to each fail terminal.
- C. as a Mediation Subflow and wire each fail terminal to this Subflow.
- D. as a separate mediation module and invoke it whenever an error occurs.

Correct Answer: A

---

**QUESTION 3**

An integration developer has developed a mediation flow component having Web Services export. The binding type used is SOAP/HTTP.

To test the Web Services export with a SOAP message, which of the following rules must the integration developer follow?

- A. If HTTP messages that contain SOAP messages, they must reside in \*.http files.
- B. If HTTP messages that contain SOAP messages, they must reside in \*.wsdl files,
- C. If pure SOAP messages, the SOAP messages must reside in \*.xml files.

D. If pure SOAP messages, the SOAP messages must reside in \*.soap files.

E. If pure SOAP messages, the SOAP messages must reside in \*.data files.

Correct Answer: A

---

## QUESTION 4

An integration developer wants to deploy a versioned mediation module to the server. What is the correct way to export the integration solution containing this mediation module to provide it as an input to the serviceDeploy command? The integration developer should export it as:

A. a JAR file.

B. an EAR file.

C. a project interchange file.

D. a command-line service deployment zip file.

Correct Answer: D

---

## QUESTION 5

A WSDL interface in a SCA module imports two unique interfaces with the same namespace in the WSDL file.

What would be the outcome of building the module with this WSDL file?

A. The build fails because this is an invalid construct in SCA.

B. The build succeeds with warnings, which can be ignored.

C. The build succeeds, but during runtime the WSDL interface fails to resolve the two unique interfaces.

D. The build succeeds as the WSDL file is able to resolve both interfaces and import them into the interface as defined by the WSDL file.

Correct Answer: C

[C9550-605 PDF Dumps](#)

[C9550-605 Practice Test](#)

[C9550-605 Braindumps](#)