

# C\_BW4HANA\_20<sup>Q&As</sup>

SAP Certified Application Associate - Reporting Modeling and Data Acquisition with SAP BW/4HANA 2.x

**Pass SAP C\_BW4HANA\_20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/c\\_bw4hana\\_20.html](https://www.leads4pass.com/c_bw4hana_20.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You load a DataStore object (advanced) every night. Where can you delete the request you loaded two nights ago without deleting the last request?

- A. From a DataStore object (advanced) based on the model template InfoCube if the request is NOT v u activated.
- B. From a DataStore object (advanced) based on the model template InfoCube if the request is activated.
- C. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated and you execute a full load.
- D. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated.

Correct Answer: A

---

**QUESTION 2**

You need to view the SAP HANA calculation views, SAP BW DataSources, and InfoAreas in the same SAP HANA studio perspective. What should you do?

- A. Attach an SAP BW project to an SAP HANA system.
- B. Attach an SAP HANA system to an SAP BW project.
- C. Attach an ABAP project to an SAP BW project.
- D. Attach an SAP BW project to an ABAP project.

Correct Answer: B

---

**QUESTION 3**

Which condition must you ensure if you want to replicate data based on a view with SAP Landscape Transformation Replication Server?

- A. View-based data result sets must be kept persistent first until data replication can take place.
- B. An SAP HANA source system must be defined to consume the view.
- C. Each table of the view requires a defined trigger to enable data replication.
- D. One table as part of the view has to be defined as primary table and is used to trigger data replication.

Correct Answer: B

---

**QUESTION 4**

You set up the 2LIS\_02\_ITM (Purchasing Line Item) data source in SAP ERP using the logistics cockpit. Afterward, you successfully run the initialization into SAP BW/4HAN

- A. Your delta load into SAP BW/4HANA shows zero records even though new purchase orders were created. How do you explain that the delta records do NOT appear in SAP BW/4HANA?
- B. A reinitialization for sales orders in SAP ERP was triggered using the logistics cockpit, which deleted the purchase order item initialization.
- C. All old purchase orders in SAP ERP were archived overnight before the delta loads.
- D. Purchasing extractors in SAP ERP were set up with Queued Delta update mode and the collective run job was NOT scheduled.
- E. Another SAP BW/4HANA system already picked up the new purchase orders using a delta load

Correct Answer: C

---

## QUESTION 5

Which objects of an SAP HANA calculation view of DIMENSION data category can you re-use if you define an SAP calculation view of CUBE data category with star join? Note: There are 2 correct answers to this question.

- A. Aggregation method
- B. Hierarchy assignment
- C. Attribute assignment
- D. Measure assignment

Correct Answer: CD

[C\\_BW4HANA\\_20 PDF Dumps](#)

[C\\_BW4HANA\\_20 VCE Dumps](#)

[C\\_BW4HANA\\_20 Exam Questions](#)