

C_HANAIMP151^{Q&As}

SAP Certified Application Associate - SAP HANA (Edition 2015)

Pass SAP C_HANAIMP151 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/c hanaimp151.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/c_hanaimp151.html 2021 Latest lead4pass C_HANAIMP151 PDF and VCE dumps Download

QUESTION 1

Your customer wants to use SAP BusinessObjects Data Services to migrate and transform large volumes of data to SAP HANA. What do you recommend?

- A. Use ABAP data flows.
- B. Use RFC/BAPI function calls.
- C. Use the RFC_READ_TABLE.
- D. Use IDOCs.

Correct Answer: A

QUESTION 2

You modified an active analytic view in the SAP HANA studio and saved it without activating it.

What is the consequence?

- A. The inactive view is not available.
- B. The inactive view is in "Read Only" mode.
- C. The active view is not available.
- D. The active view is in "Read Only" mode.

Correct Answer: D

QUESTION 3

In a two system landscape, you want to transport SAP HANA information models from the source system to a target system. The source system has information objects that refer to physical schema S1. The target system uses physical schema S2. When you import the information objects into the target system, the information objects at the target cannot be opened as they still refer to schema S1.

What must you do to be able to open the information objects in the target system?

- A. Add a schema mapping.
- B. Create a new schema.
- C. Execute a refactoring.
- D. Reimport the information models.

Correct Answer: AD

https://www.lead4pass.com/c_hanaimp151.html

2021 Latest lead4pass C_HANAIMP151 PDF and VCE dumps Download

QUESTION 4

You receive an activation error in a scripted calculation view that uses the following function: CE_PROJECTION(:table1, ["AMOUNT"], \\"PROD" = A\\")

What could be a reason for this error?

- A. The filter condition is not set within square brackets.
- B. The projection list contains a field that is not specified in the filter condition.
- C. The filter condition must be specified inside the projection list.
- D. The filter condition contains a field that is not part of the projection list.

Correct Answer: D

QUESTION 5

Which new connection type is available as of SAP BusinessObjects Data Services 4.0?

- A. Operational Data Provider
- B. BAPI function calls
- C. IDOCs
- D. Read table via ABAP data flows

Correct Answer: A

C HANAIMP151 PDF Dumps C HANAIMP151 Study Guide

C HANAIMP151 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.