

C_HANASUP_1^{Q&As}

SAP Certified Support Associate - SAP HANA 1.0

Pass SAP C_HANASUP_1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/c_hanasup_1.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Your client tells you that the SAP HANA database backup is not working.

In the SAP HANA studio, where could you start to investigate the issue? (Choose three)

- A. _SYS_BI schema
- B. SYS schema
- C. Administration editor - System Information
- D. Administration editor - Performance overview
- E. Administration editor ?Alerts

Correct Answer: BCE

QUESTION 2

How can you find default values for SAP HANA configuration settings?

- A. Double-click the Database Information row in the System information tab in the Administration editor.
- B. Go to the Configuration tab in the Administration editor and inspect the Default column.
- C. Go to the Configuration tab in the Administration editor and inspect the System column.
- D. Right-click on a configuration setting in the Configuration tab in the Administration editor.

Correct Answer: B

QUESTION 3

When you deploy the SAP HANA client package on UNIX, which drivers are installed?) 3 answers)

- A. ODBC
- B. JDBC
- C. ODBO
- D. SQLDBC
- E. ADO

Correct Answer: ABD

QUESTION 4

You have executed a kernel trace where can you view the trace results?

- A. In the HDBAdmintool
- B. In a third-party tool such as KCachegrind
- C. In the SAP HANA studio diagnosis files
- D. In the SAP HANA studio system information

Correct Answer: C

QUESTION 5

How can you restore a default parameter configuration setting in the SAP HANA studio? (Choose two)

- A. In the context menu of a configuration parameter, choose Configure Table, and the Restore Default.
- B. In the context menu of a configuration parameter, choose Change, and then Restore Default.
- C. In the context menu of a configuration parameter, choose Delete.
- D. Choose Window-Preference-Administration Console and select Restore Defaults.

Correct Answer: BC

[C_HANASUP_1 PDF Dumps](#)

[C_HANASUP_1 Exam Questions](#)

[C_HANASUP_1 Braindumps](#)