

C_PAII10_35^{Q&As}

C_PAII10_35 : SAP Certified Application Associate - SAP Predictive Analytics

Pass SAP C_PAII10_35 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/c_paii10_35.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You developed an unsupervised segmentation model in Automated Analytics. What should you analyze when debriefing the model?

Note: There are 1 correct answers to this question.

- A. The cluster target means
- B. The overall model Ki
- C. The cluster frequencies
- D. The winning number of clustersc

Correct Answer: C

QUESTION 2

Once the PAi application is installed correctly, the most common expected error to be encountered is that the system does not have succulent rows of data to successfully build a predictive model. For the PAi application to work correctly, you need a minimum number of rows of data to train your predictive model. The number of required rows will vary from scenario to scenario and is dependent on the model type and the data.

There are two main ways to handle this issue:

Note: There are 2 correct answers to this question.

- A. If you have access to HANA logs, you will be able to see the full APL exception details and can investigate further.
- B. The Predictive Factory server contains a group of services handled by the Server Intelligence Agent (SIA). The services can be stopped and started with the Start and Stop Predictive Factory commands.
- C. You can verify the data via normal ABAP tools to see if succulent records are present. For example, by doing a data preview on the Predictive Scenario data source, taking into account any model version footer\', you can see how many records are returned.
- D. Communication between the Predictive Factory server and clients uses HTTP. You can configure encrypted communication (HTTPS) using Secure Sockets Layer (SSL) or Transport Layer Security (TLS)

Correct Answer: AC

QUESTION 3

The operation of the Automated Analytics can be subdivided into four phases: Note: There are 4 correct answers to this question.

- A. Data access
- B. Data manipulation and preparation

- C. Data modeling
- D. the Automated Analytics
- E. Model presentation and deployment

Correct Answer: ABCE

QUESTION 4

Once the modeling parameters are defined, you can generate the model. Then you must validate its performance using the predictive power.

Note: There are 2 correct answers to this question.

- A. If the model is sufficiently powerful, you can analyze the responses that it provides in relation to your business issue apply it to new datasets
- B. Otherwise, you can modify the modeling parameters in such a way that they are better suited to your dataset and your business issue, and then generate new, more powerful models.
- C. The Progress Bar displays the progression for each step of the process. It is the screen displayed by default.
- D. The Detailed Log displays the details of each step of the process.

Correct Answer: AB

QUESTION 5

In data mining, there are two types of models: Note: There are 2 correct answers to this question.

- A. Predictive and explanatory models, which allow one to predict and explain phenomena
- B. The SAP Predictive Analytics server must be able to access the name server.
- C. The client application must be able to access both the name server and the SAP Predictive Analytics server.
- D. Descriptive models, which allow one to describe datasets.

Correct Answer: AD

[Latest C_PAII10_35 Dumps](#) [C_PAII10_35 PDF Dumps](#) [C_PAII10_35 Braindumps](#)