

C_PAII10_35^{Q&As}

C_PAII10_35 : SAP Certified Application Associate - SAP Predictive Analytics

Pass SAP C_PAII10_35 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/c_paii10_35.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

There are several interesting things to note about normal profit: Note: There are 3 correct answers to this question.

- A. The normal profit of category is independent of the target values themselves will not change
- B. A consequence of 1 is that this metric is resistant to outliers: when there are a few
- C. occurrences of the target with very high values with respect to the rest of the target value distributions, the notion of normal profit is not impacted.
- D. To test the latest version of the application without impacting the current production environment.
- E. The weighted sum of the normal profit for all categories of a given variables will always be 0.

Correct Answer: ABD

QUESTION 2

What is the first phase of the CRISP- DM predictive modeling process? Note: There are 1 correct answers to this question.

- A. Model building
- B. Business understanding
- C. Data understanding
- D. Data preparation

Correct Answer: B

QUESTION 3

A table of data is a dataset presented in the form of a two-dimensional table. In this table: Note: There are 3 correct answers to this question.

- A. Each row represents an observation to be processed, such as "American individual" in the sample file Census01.csv .
- B. Each column represents a variable that describes observations, such as the "age" or the "gender" of individual Americans.
- C. Each cell, the intersection of a column and a row, represents the value of the variable in the column, for the observation in that row
- D. Both of these ports must be accessible from the client machine. For example, network firewalls should allow communication on these ports between client machine and the servers.

Correct Answer: ABC

QUESTION 4

The option Analyze Deviations is a tool that provides you with a diagnostic of the data statistical variation. This option can be used for several purposes:

Note: There are 3 correct answers to this question.

- A. to compare the distribution of a new dataset with the distribution of the dataset used to train the model,
- B. to check the quality of new data after loading them,
- C. to check if your data have evolved over time and thus if the model need to be adapted to the new data.
- D. The Root entries are used for tracing the activity of the server which can later be used for debugging purposes.

Correct Answer: ABC

QUESTION 5

The variable "product purchased" is your target variable:

it corresponds to your business issue. It is:

Note: There are 2 correct answers to this question.

- A. Known for all values of the training dataset.
- B. Not known for the values of the application dataset.
- C. knows the main Linux administration commands (managing users, groups, and so on),
- D. knows how to set up ODBC drivers on Linux systems.

Correct Answer: AB

[Latest C_PAII10_35 Dumps](#) [C_PAII10_35 VCE Dumps](#) [C_PAII10_35 Study Guide](#)