

C_TADM55_75^{Q&As}

SAP Certified Technology Associate - System Administration (SAP HANA) with SAP NetWeaver 7.5

Pass SAP C_TADM55_75 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/c_tadm55_75.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following statements regarding starting and stopping an SAP system based on AS ABAP +Java 7.0 are correct? (Choose two)

- A. If you use the command: "stopsap J2EE DVEBMGS00" on operation system level, only the java part of the instance is stopped.
- B. The Java-dispatcher and the ABAP-dispatcher of one instance write their respective developer traces in different files on the same directory.
- C. The ABAP-dispatcher triggers the start of the Java part of the instance.
- D. The SAP MC is Java-based, therefore you can only start and stop the Java part of an instance.

Correct Answer: BC

QUESTION 2

The servers that are NOT supported for use with the SAP NetWeaver AS Java are:

- A. Apache Web Server
- B. SQL Server
- C. SAPWeb Dispatcher
- D. Microsoft Internet Information Server (IIS) with an IIS proxy module from SAP

Correct Answer: B

QUESTION 3

Which AS ABAP process receives the user request? Please choose one correct answer

- A. Dispatcher
- B. Server process
- C. Work process
- D. SAP GUI

Correct Answer: A

QUESTION 4

Which one allows you to quickly and efficiently find log files containing specific error and event information across multiple servers?

- A. Log viewer
- B. Event viewer
- C. Trace file

Correct Answer: B

QUESTION 5

Which statement regarding front end printing with SAP NetWeaver AS ABAP is correct?

- A. It is not possible to configure an output device for front end printing with SAP GUI for Java.
- B. If you want to configure an output device for front end printing with SAP GUI for Windows, you should choose access method G.
- C. If you want to configure an output for front end printing with SAP GUI for HTML, you have to choose access method

Correct Answer: B

[Latest C_TADM55_75 Dumps](#)

[C_TADM55_75 VCE Dumps](#) [C_TADM55_75 Study Guide](#)