

# C\_TAW12\_750<sup>Q&As</sup>

SAP Certified Development Associate - ABAP with SAP NetWeaver  
7.50

**Pass SAP C\_TAW12\_750 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/c\\_taw12\\_750.html](https://www.leads4pass.com/c_taw12_750.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official  
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

What is context menu?

- A. Shortcuts for frequently used functions
- B. Functions that are relevant for the current Screen Group
- C. Context Sensitive Pushbuttons
- D. A special menu for subscreens

Correct Answer: A

---

## QUESTION 2

Identify the dictionary type of field catalog used for the ALV control?

- A. Fieldcat
- B. Calog
- C. alv\_calog
- D. lcv\_t\_fcat

Correct Answer: B

---

## QUESTION 3

Which of the following methods require higher Maintenance when new releases of SAP are installed?

- A. Enhancements to the SAP Standard
- B. Append Structures
- C. Customizing
- D. Modifications to the SAP Standard

Correct Answer: D

---

## QUESTION 4

A function module that has 2 classical exceptions is called with actual parameter values in such a way that both exception conditions are fulfilled.

How will the runtime system behave?

- A. Both exceptions will be raised. In the calling program, sy-subrc has the value specified for the OTHERS option.
- B. No exception will be raised. In the calling program, sy-subrc has the value specified for the OTHERS option.
- C. Both exceptions will be raised. In the calling program, sy-subrc has the value specified for the second exception.
- D. The first exception that occurs will be raised. In the calling program, sy-subrc has the value specified for the first exception.

Correct Answer: D

---

## QUESTION 5

In the case of a screen exit, how is global da accessed by the subscreen?

- A. Use the MOVE statement to move the screen da to the TOP include of the subscreen
- B. Global da is available to subscreens so no special programming is required
- C. The developer uses preplanned function module exits

Correct Answer: C

[Latest C\\_TAW12\\_750 Dumps](#)

[C\\_TAW12\\_750 Practice Test](#)

[C\\_TAW12\\_750 Braindumps](#)