

C_TBW60_74^{Q&As}

SAP Certified Application Associate - Modeling and Data Management
with SAP BW 7.4

Pass SAP C_TBW60_74 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/c_tbw60_74.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

what does SAP recommend you do to improve the overall reporting performance of a standard InfoCube in SAP BW 7.4? (3)

- A. Create aggregates
- B. Replace the InfoCube by a SPO
- C. Use the process type "Fill OLAP cache" in a process chain
- D. Use navigation attributes instead of dimension characteristics
- E. Use several InfoCubes as PartProviders of a MultiProvider instead of a single standard InfoCube

Correct Answer: ABE

QUESTION 2

Which of the following are true regarding DB and UD Connect technologies? There are 2 correct answers.

- A. UD Connect contains an inherent "Group By" clause.
- B. UD Connect requires ABAP connectors.
- C. DB Connect normally reduces the granularity of the data.
- D. DB Connect requires the potential use of a Database Shared Library.

Correct Answer: AD

QUESTION 3

Which of the following statements about aggregates is true? (2)

- A. Aggregates can only be created for Basic Cubes
- B. Aggregates are stored as a single transparent table, which houses the aggregated data
- C. Aggregates can be created on dimension characteristics and navigational attributes
- D. Several dimension characteristics used in an aggregate always have the same aggregation level
- E. Aggregates reduce the number of key figures

Correct Answer: AC

QUESTION 4

What can you do to have two or more hierarchies with the same technical name? (2)

- A. Configure the hierarch as version-dependent
- B. Configure the hierarchy to have a time-dependent structure
- C. Configure the hierarchy with link nodes
- D. Configure the hierarchy as time-dependent
- E. Configure the hierarch as version-dependent

Correct Answer: D

QUESTION 5

End-users want to see the Material Group assigned to a Material at the time of the transaction. How should you model there InfoObjects to accomplish this? (1)

- A. Model Material Group as a time-dependent navigation attribute of Material
- B. Model Material Group as a time-dependent hierarchy of Material
- C. Model Material and Group in the same InfoCube Dimension Table
- D. Model Material Group as a time-independent navigation attribute of Material

Correct Answer: C

[C_TBW60_74 PDF Dumps](#)

[C_TBW60_74 Practice Test](#)

[C_TBW60_74 Exam Questions](#)