

C_TPLM30_65^{Q&As}

SAP Certified Application Associate - Enterprise Asset Management
(Maintenance & Repair) with SAP ERP 6.0 EHP5

Pass SAP C_TPLM30_65 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/c_tplm30_65.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Your customer wants to assign personnel to order operations.

Which master data must exist in the system?

- A. A requirements profile
- B. A personnel indicator in the control key
- C. A personnel profile
- D. A personnel number

Correct Answer: D

QUESTION 2

What do you need to select when creating a maintenance plan that only generates notification(s)?

- A. A maintenance plan category for notifications.
- B. A specific notification type for maintenance plans.
- C. A specific maintenance strategy for notifications.
- D. A specific notification type that includes a task list.

Correct Answer: A

SAP C_TPLM30_65 Exam

QUESTION 3

Your customer uses operating hours to execute a performance-based maintenance plan.

Which of the following data must you assign in the maintenance plan header?

- A. A task list for performance-based maintenance
- B. A cycle unit of measure with a corresponding characteristic from the measuring point
- C. An order type for performance-based maintenance
- D. A technical object with a measuring point

Correct Answer: B

QUESTION 4

SAP C_TPLM30_65 Exam

When the user creates a maintenance plan for a call object (order), which value in the planning data determines the order type?

- A. Priority
- B. Maintenance activity type
- C. Maintenance planner group
- D. Main work center

Correct Answer: C

QUESTION 5

SAP C_TPLM30_65 Exam

Your customer wants to subdivide the maintenance organization by production responsibility.

What do you use to designate the contact person for coordination between production and plant maintenance?

- A. Plant section
- B. Production cost center
- C. Work center
- D. Controlling area

Correct Answer: A

[C_TPLM30_65 PDF Dumps](#) [C_TPLM30_65 Study Guide](#)

[C_TPLM30_65 Exam Questions](#)