

C_TPLM30_67^{Q&As}

SAP Certified Application Associate - Enterprise Asset Management
(Maintenance & Repair) with SAP ERP 6.07

Pass SAP C_TPLM30_67 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/c_tplm30_67.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Your customer wants to subMde the maintenance organization by production responsibility. What do you use to designate the contact person for coordination between production and plant maintenance?

- A. Plant section
- B. Production cost center
- C. Work center
- D. Controlling area

Correct Answer: A

QUESTION 2

You want to set up an external refurbishment process through subcontracting, using material requirements planning (MRP)? Which of the following must you set in the system? Please choose the correct answer. Response:

- A. The Special Procurement indicator in the material master record
- B. The Subcontracting flag for the refurbishment order type
- C. The Material Provision indicator for special stock in the refurbishment order header
- D. The Subcontracting flag in the refurbishment order header

Correct Answer: A

QUESTION 3

A user has planned an operation with labor costs and material costs; however, the material cost element is not assigned to a value category. Where do the material costs appear in the value categories for the order? Please choose the correct answer.

Response:

- A. In the overhead value category
- B. In a new, automatically created value category
- C. In the unassigned value category
- D. In the internal actMty value category

Correct Answer: C

QUESTION 4

What do maintenance planner groups represent?

Please choose the correct answer.

Response:

- A. A group of persons who plan maintenance capacities
- B. A group of persons responsible for maintenance plans
- C. A group of persons who plan maintenance task lists
- D. A group of persons who plan maintenance activities for technical assets

Correct Answer: D

QUESTION 5

At runtime communication between the source system and BW is broken down into the following steps:

Identify them .

There are 2 correct answers to this question.

Response:

- A. Loading of data to info provider
- B. Running of analysis.
- C. Master data
- D. Projection data
- E. BW and SAP

Correct Answer: AB

[C_TPLM30_67 PDF Dumps](#) | [C_TPLM30_67 Study Guide](#) | [C_TPLM30_67 Braindumps](#)