

## CBDE<sup>Q&As</sup>

BTA Certified Blockchain Developer - Ethereum

### Pass Blockchain CBDE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/cbde.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Blockchain  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

Solidity files:

- A. can't be split across multiple files, everything should be in one single file.
- B. can be split across multiple files, but every contract must be in a file with the same name as the contract itself.
- C. can be spread across multiple files. To import all contract from a file you can use "import '\\myfile.sol\\". To import Contract MyContract from myfile.sol you use "import {MyContract as SomeContract} from '\\myfile.sol\\";"

Correct Answer: C

---

## QUESTION 2

Proof of Work (PoW) vs. Proof of Stake.

- A. PoW is computationally intensive which requires lots of energy. On the other hand, miners earn straightforward a reward for mining a block and incorporating transactions.
- B. PoW is better than PoS, because with PoS we increase the amount of energy spent on the network.
- C. PoS is mining with specialized new hardware that has to be purchased with a stack of Ether in the network. Hence the Name: Proof of Stake, which derives from Stack.

Correct Answer: A

---

## QUESTION 3

A Mapping consists of keys and value.

- A. the Keys can be anything, but the value can't be another mapping or struct.
- B. the Value can be anything, but the key cannot be another mapping, struct, integer or Boolean.
- C. the value can be anything, but the key cannot be another mapping, struct, enum or dynamically sized array.

Correct Answer: C

---

## QUESTION 4

If we divide two integers: 5/2, the result is: A. 2, because the decimal is truncated.

- B. 3, because it's always rounded.
- C. 2.5, because it's automatically converted into a float.

Correct Answer: A

---

## QUESTION 5

The Fallback function:

- A. cannot receive Ether, not even by adding the payable modifier.
- B. can contain as much logic as you want, but it's better to keep it short and not exceed the gas stipend of 2300 gas.
- C. can be used to avoid receiving ether.

Correct Answer: B

[CBDE PDF Dumps](#)

[CBDE VCE Dumps](#)

[CBDE Exam Questions](#)