

CBDE^{Q&As}

BTA Certified Blockchain Developer - Ethereum

Pass Blockchain CBDE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/cbde.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Blockchain
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Block Timestamp:

- A. the timestamp is based on the time zone of the miner, that is why it changes the difficulty continuously to reflect network latency.
- B. the timestamp can't be influenced by a miner and is generally considered safe to be used for randomness on the blockchain.
- C. the timestamp can be influenced by a miner to a certain degree but it's always independent from the time-zone.

Correct Answer: C

QUESTION 2

Consensus is reached:

- A. by the miner nodes which make sure that a transaction is valid.
- B. by every single node in the blockchain network executing the same transaction.
- C. by a cryptographic secure signature algorithm called ECDSA which makes sure that cheating is impossible.

Correct Answer: B

QUESTION 3

For Rapid Development Cycles it's good:

- A. to deploy to the main-network as quickly as possible.
- B. to use in-memory blockchain simulations, because mining works instantaneously.
- C. to use a private network at all times, because this is the closest you get to the real network.

Correct Answer: B

QUESTION 4

If a User calls contract A and that calls Contract B, then msg.sender in Contract B will contain the address of:

- A. the User.
- B. contract A.

Correct Answer: B

QUESTION 5

Externally Owned Accounts:

A. can be destroyed using the selfdestruct keyword. This way all remaining ether will be sent to the receiver address, regardless if they have a fallback function or not.

B. are bound to a private key which is necessary to sign transactions outgoing from that account.

C. are logical opcodes running on the ethereum blockchain very similar to smart contracts.

Correct Answer: B

[Latest CBDE Dumps](#)

[CBDE Study Guide](#)

[CBDE Braindumps](#)