

CCB-400^{Q&As}

Cloudera Certified Specialist in Apache HBase

Pass Cloudera CCB-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ccb-400.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cloudera
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You have data already stored in HDFS and are considering using HBase. Which additional feature does HBase provide to HDFS?

- A. Random writes
- B. Batchprocessing
- C. Fault tolerance
- D. Scalability

Correct Answer: A

Reference:<http://borthakur.com/ftp/SIGMODRealtimeHadoopPresentation.pdf>(11th slide)

QUESTION 2

You have two standbys and one primary HMaster. Your primary HMaster fails. Which of the remaining HMaster becomes the new primary?

- A. Whichever HMaster first responds to ZooKeeper
- B. Whichever HMasterZooKeeper randomly selects
- C. Whichever HMastercreates the znode first
- D. Whichever HMaster has the lower IP address

Correct Answer: A

QUESTION 3

The cells in a given row have versions that range from 1000 to 2000. You execute a delete specifying the value 3000 for the version. What is the outcome?

- A. The delete fails with an error.
- B. Only cells equal to the Specified version are deleted.
- C. The entire row is deleted.
- D. Nothing in the row is deleted.

Correct Answer: C

Reference:<http://archive.cloudera.com/cdh4/cdh/4/hbase/book.html#delete>(scroll below and see 5.8.1.5. Delete topic, read the last paragraph)

QUESTION 4

You have a table with 5 TB of data, 10 RegionServers, and a region size of 256MB. You want to continue with puts to widely disbursed row ids in your table. Which of the following will improve write performance?

- A. Increase your buffer cache in the RegionServers
- B. Increase the number of RegionServers to 15
- C. Decrease your number of RegionServers to 5
- D. Decrease your region size to 128MB

Correct Answer: C

QUESTION 5

You have an "Employees" table in HBase. The Row Keys are the employees' IDs. You would like to retrieve all employees who have an employee ID between 'user_100' and 'user_110'. The shell command you would use to complete this is:

- A. scan 'Employees', {STARTROW => 'user_100', STOPROW => 'user_110'}
- B. get 'Employees', {STARTROW => 'user_100', STOPROW => 'user_110'}
- C. scan 'Employees', {STARTROW => 'user_100', SLIMIT => 10}
- D. scan 'Employees', {STARTROW => 'user_100', STOPROW => 'user_110'}

Correct Answer: D

[Latest CCB-400 Dumps](#)

[CCB-400 PDF Dumps](#)

[CCB-400 Study Guide](#)