

## CCB-400<sup>Q&As</sup>

Cloudera Certified Specialist in Apache HBase

### Pass Cloudera CCB-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ccb-400.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cloudera  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You need to free up disk space on your HBase cluster. You delete all versions of your data that is older than one week. You notice your delete has had minimal impact on your storage availability. This is because:

- A. You have large store file indexes
- B. HBase has not flushed the MemStore
- C. HBase has not run a minor compaction
- D. HBase has not run a major compaction

Correct Answer: A

---

**QUESTION 2**

Which feature of HBase ensures predictable disk head seek performance within a RegionServer?

- A. Data is stored distributed in HDFS
- B. Data stored in HBase is sparse
- C. Data is stored sorted on row keys
- D. Data is stored as an uninterpreted array of bytes

Correct Answer: C

---

**QUESTION 3**

You have an "Employees" table in HBase. The Row Keys are the employees' IDs. You would like to retrieve all employees who have an employee ID between 'user\_100' and 'user\_110'. The shell command you would use to complete this is:

- A. `scan\ Employees\, {STARTROW =>'user_100', STOPROW =>'user_110'}`
- B. `get\ Employees\, {STARTROW =>'user_100', STOPROW =>'user_110'}`
- C. `scan\ Employees\, {STARTROW =>'user_100', SLIMIT => 10}`
- D. `scan\ Employees\, {STARTROW =>'user_100', STOPROW =>'user_110'}`

Correct Answer: D

---

**QUESTION 4**

Your client is writing to a region when the RegionServer crashes. At what point in the write is your data secure?

- A. From the moment the RegionServer wrote to the WAL (write-ahead log)
- B. From the moment the RegionServer returned the call
- C. From the moment the RegionServer received the call
- D. From the moment the RegionServer wrote to the MemStore

Correct Answer: A

---

## QUESTION 5

You are storing page view data for a large number of Web sites, each of which has many subdomains (www.example.com, archive.example.com, beta.example.com, etc.) Your reporting tool needs to retrieve the total number of page views for a given subdomain of a Web site. Which of the following rowkeys should you use?

- A. The reverse domain name (e.g., com.example.beta)
- B. The domain name followed by the URL
- C. The URL
- D. The URL followed by the reverse domain name

Correct Answer: C

[CCB-400 Practice Test](#)

[CCB-400 Exam Questions](#)

[CCB-400 Braindumps](#)