

## CCB-400<sup>Q&As</sup>

Cloudera Certified Specialist in Apache HBase

### Pass Cloudera CCB-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ccb-400.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cloudera  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

You want to do a full table scan on your data. You decide to disable block caching to see if this improves scan performance. Will disabling block caching improve scan performance?

- A. No. Disabling block caching does not improve scan performance.
- B. Yes. When you disable block caching, you free up that memory for other operations. With a full table scan, you cannot take advantage of block caching anyway because your entire table won't fit into cache.
- C. No. If you disable block caching, HBase must read each block index from disk for each scan, thereby decreasing scan performance.
- D. Yes. When you disable block caching, you free up memory for MemStore, which improves scan performance.

Correct Answer: B

---

## QUESTION 2

You have 40 Web servers producing timeseries data from Web traffic logs. You want to attain high write throughput for storing this data in an HBase table. Which of these should you choose for a row key to maximize your write throughput?

- A.
- B. ;
- C.
- D.

Correct Answer: C

---

## QUESTION 3

You have a table with 5 TB of data, 10 RegionServers, and a region size of 256MB. You want to continue with puts to widely dispersed row ids in your table. Which of the following will improve write performance?

- A. Increase your buffer cache in the RegionServers
- B. Increase the number of RegionServers to 15
- C. Decrease your number of RegionServers to 5
- D. Decrease your region size to 128MB

Correct Answer: C

---

## QUESTION 4

From within an HBase application, you would like to create a new table named weblogs. You have started with the following Java code:

```
HBaseAdmin admin = new HBaseAdmin (conf);
```

```
HTableDescriptor t = new HTableDescriptor("weblogs");
```

Which of the following method(s) would you use next?

A. admin.createTable(t);admin.enable.Table(t);

B. admin.createTable(t);

C. HTable.createTable(t);HTable.enableTable(t);

D. HTable.createTable(t);

Correct Answer: D

Reference:[http://linuxjunkies.wordpress.com/2011/12/03/hbase-administration-using-the-java-api- using-code-examples/\(creating a table in Hbase, see the code\)](http://linuxjunkies.wordpress.com/2011/12/03/hbase-administration-using-the-java-api- using-code-examples/(creating a table in Hbase, see the code))

---

## QUESTION 5

Given that following is your entire dataset:

100 column=Managers:Name, timestamp=13313141762084, value=Steve 100 column=Manage:Salary, timestamp=13313141762086, value=80000 100 column=Skills:Skill\_1, timestamp=13313141762089, value=Hadoop 100 column=Skills:Skill\_2, timestamp=13313141762092, value=HBase How many sets of physical files will be read during a scan of the entire dataset immediately following a major compaction?

A. Two

B. One

C. Three

D. Four

Correct Answer: B

[CCB-400 PDF Dumps](#)

[CCB-400 VCE Dumps](#)

[CCB-400 Exam Questions](#)