

CCDAK^{Q&As}

Confluent Certified Developer for Apache Kafka Certification
Examination

Pass Confluent CCDAK Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ccdak.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Confluent
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The kafka-console-consumer CLI, when used with the default options

- A. uses a random group id
- B. always uses the same group id
- C. does not use a group id

Correct Answer: A

If a group is not specified, the kafka-console-consumer generates a random consumer group.

QUESTION 2

What is the disadvantage of request/response communication?

- A. Scalability
- B. Reliability
- C. Coupling
- D. Cost

Correct Answer: C

Point-to-point (request-response) style will couple client to the server.

QUESTION 3

Select the Kafka Streams joins that are always windowed joins.

- A. KStream-KStream join
- B. KTable-KTable join
- C. KStream-GlobalKTable
- D. KStream-KTable join

Correct Answer: A

See <https://docs.confluent.io/current/streams/developer-guide/dsl-api.html#joining>

QUESTION 4

If I want to send binary data through the REST proxy to topic "test_binary", it needs to be base64 encoded. A consumer

connecting directly into the Kafka topic A.

- A. "test_binary" will receive
- B. binary data
- C. avro data
- D. json data
- E. base64 encoded data, it will need to decode it

Correct Answer: B

On the producer side, after receiving base64 data, the REST Proxy will convert it into bytes and then send that bytes payload to Kafka. Therefore consumers reading directly from Kafka will receive binary data.

QUESTION 5

How will you read all the messages from a topic in your KSQL query?

- A. KSQL reads from the beginning of a topic, by default.
- B. KSQL reads from the end of a topic. This cannot be changed.
- C. Use KSQL CLI to set auto.offset.reset property to earliest

Correct Answer: C

Consumers can set auto.offset.reset property to earliest to start consuming from beginning. For KSQL, SET `\\'auto.offset.reset\\'==\\'earliest\\'`;

[Latest CCDAK Dumps](#)

[CCDAK VCE Dumps](#)

[CCDAK Exam Questions](#)