

COG-310^{Q&As}

IBM Cognos TM1 Developer

Pass IBM COG-310 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/cog-310.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

An application developer must create a process to build subsets for a dimension and add elements from an ODBC source.

Which Turbo Integrator script should be used to update the subsets?

- A. Epilog
- B. Parameters
- C. Prolog
- D. Metadata

Correct Answer: D

QUESTION 2

Why would an application developer use multiple time dimensions in a cube?

- A. Users need to forecast sales for the next quarter.
- B. Users need to estimate future inventory needs for the year.
- C. Users need to anticipate units sold of a new product line.
- D. Users need to create financial statements for last year.

Correct Answer: D

QUESTION 3

Why would an application developer create a formula in a variable?

- A. To write data to a data source.
- B. To delete data from a data source.
- C. To combine two columns from the source.
- D. To remove two columns from the source.

Correct Answer: C

QUESTION 4

Aggregation is automatically applied when building a dimension. Which of the following option is the basis for aggregation?



https://www.leads4pass.com/cog-310.html 2024 Latest leads4pass COG-310 PDF and VCE dumps Download

- A. Formats
- B. Rules
- C. Attributes
- D. Hierarchies

Correct Answer: D

QUESTION 5

Which of the following examples will apply a rule to a subset of the Month dimension?

A. [{\\'Jan\\', \\'Feb\\', \\'Mar\\'\}]

B. ["Jan", "Feb", "Mar"]

C. [\\'Jan\\', \\'Feb\\', \\'Mar\\']

D. [(\\'Jan\\', \\'Feb\\', \\'Mar\\')]

Correct Answer: A

COG-310 Practice Test

COG-310 Exam Questions

COG-310 Braindumps