

## COG-310<sup>Q&As</sup>

IBM Cognos TM1 Developer

### Pass IBM COG-310 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/cog-310.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following rules should be fed?

- A. `[]=C:\Price\*\*\Cost\;`
- B. `[]=N:\Price\*\*\Cost\;`
- C. `[]=S:\Price*Cost\;`
- D. `[]=C:\Price\*\*\Cost\;`

Correct Answer: B

---

**QUESTION 2**

An application developer needs to quickly populate a large number of cells in a cube with the same data. What is the fastest way to accomplish this?

- A. Create a TI process.
- B. Spread data into the cube.
- C. Type the data into the individual cells.
- D. Copy the data from the source and paste into the cube.

Correct Answer: B

---

**QUESTION 3**

Why would an application developer use a DB () function in an internal cube reference?

- A. To nest another function into it.
- B. To format data in a cube.
- C. To clear data in a cube.
- D. To display an alias.

Correct Answer: A

---

**QUESTION 4**

An application developer is creating a custom TI script and has selected no data source. Which of the following scripts will be available to the process?

- A. Metadata and data

B. Prolog and metadata

C. Metadata and epilog

D. Prolog and epilog

Correct Answer: D

---

## QUESTION 5

Which of the following must be used to reference cube, dimension, and element names in a rule?

A. Curly braces

B. Single quotes

C. Square brackets

D. Double quotes

Correct Answer: B

[COG-310 PDF Dumps](#)

[COG-310 Study Guide](#)

[COG-310 Braindumps](#)