

COG-645^{Q&As}

IBM Cognos 10 BI Multidimensional Author

Pass IBM COG-645 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/COG-645.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/COG-645.html

2021 Latest lead4pass COG-645 PDF and VCE dumps Download

QUESTION 1

What kind of authoring style uses the filter function?

- A. Relational
- B. Conformed
- C. Dimensional
- D. DMR

Correct Answer: C

QUESTION 2

If the syntax for the head function is head(set_exp[,index_exp]),then which of the following expressions is correct?

- A. head(members([sales_and_marketing].[Products].[Products].[Product line]),2)
- B. head(([sales_and_marketing].[Products].[Products].[Product line])[,2])
- C. head(order([sales_and_marketing].[Products].[Products].[Product line])2)
- D. head(members([sales_and_marketing].[Products].[Products].[Product line],2))

Correct Answer: A

QUESTION 3

A report author creates a revenue report from an OLAP data source. On the rows, there are nested levels, each from different dimensions having a large number of members. The report author filters out empty rows using the expression "[Revenue] > 0". When running this report, there is poor performance. What could cause this?

- A. There are too many members or levels nested on the row edge.
- B. Filtering on measure values is incompatible with an OLAP data source.
- C. Limiting the crosstab measures with a filter function.
- D. A relational filter was applied.

Correct Answer: D

QUESTION 4

Which of the following is true if a report author nests members in a crosstab report?

A. Nested members are also known as complex members.



https://www.lead4pass.com/COG-645.html

2021 Latest lead4pass COG-645 PDF and VCE dumps Download

- B. The inner member must be on the level immediately below the outer member.
- C. Nested members must be members of hierarchies, not of the Measures folder.
- D. It is possible to nest members from different dimensions.

Correct Answer: D

QUESTION 5

Which of the following family functions is most similar to the relative time function parallelPeriod?

- A. Cousin
- B. PrevMember
- C. Siblings
- D. OpeningPeriod

Correct Answer: A

<u>Latest COG-645 Dumps</u> <u>COG-645 VCE Dumps</u> <u>COG-645 Exam Questions</u>



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.