CWNA-107^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-107 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/cwna-107.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.leads4pass.com/cwna-107.html

2024 Latest leads4pass CWNA-107 PDF and VCE dumps Download

QUESTION 1

You are troubleshooting a WLAN problem and you suspect hidden node as the cause. What should you look for in a protocol analyzer?

- A. Frames with the HN bit set to 1
- B. Frames with the retry bit set to 0
- C. Frames transmitted from the AP without acknowledgement
- D. Retransmitted frames from multiple STAs at higher rates than other STAs

Correct Answer: D

Reference

http://setup-wireless.blogspot.com/2008/11/wireless-hidden-node.html

QUESTION 2

What 802.11 PHY uses available space in very low frequency ranges that is not in use at the time by broadcast video signals?

- A. DMG
- B. SIG
- C. DSSS
- D. TVNT

Correct Answer: C

QUESTION 3

ABC Company is planning a point-to-multipoint bridge deployment with standalone (autonomous) 802.11 bridge units. 802.1X/EAP will be used for bridge authentication. A Linux-based RADIUS server will be used for authentication. What device in the bridge implementation acts as the 802.11X Authenticator?

- A. All non-root bridges
- B. The root bridge
- C. The Ethernet switch
- D. The RADIUS server

Correct Answer: C



https://www.leads4pass.com/cwna-107.html

2024 Latest leads4pass CWNA-107 PDF and VCE dumps Download

QUESTION 4

The IEEE 802.11-2016 standard requires VHT capable devices to be backward compatible with devices using which other 802.11 physical layer specification (PHY)?

- A. ERP-PBCC
- B. DSSS
- C. OFDM
- D. HR/DSSS

Correct Answer: C

QUESTION 5

What statement about the IEEE 802.11-2016 QoS facility is true?

- A. 802.11 QoS is achieved by giving high priority queues a statistical advantage at winning contention.
- B. Four 802.1p user priorities are mapped to eight 802.11 transmit queues.
- C. 802.11 control frames are assigned to the 802.11 EF priority queue.
- D. When the Voice queue has frames awaiting transmission, no data will be transmitted from the Best Effort queue.

Correct Answer: A

CWNA-107 PDF Dumps CWNA-107 Exam Questions CWNA-107 Braindumps