

CWNA-108^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-108 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/cwna-108.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.leads4pass.com/cwna-108.html 2024 Latest leads4pass CWNA-108 PDF and VCE dumps Download



QUESTION 1

You are using a site survey tool for post-implementation validation. You have installed the appropriate adapter driver and imported a floor plan. Now, you want to take the next step in proper tool use. What must you do before gathering survey data after the floor plan is imported?

- A. Install iPerf
- B. Install WinPCAP
- C. Calibrate the floor plan D. Nothing, you can simply start capturing signal readings

Correct Answer: C

QUESTION 2

ABC Company is planning a point-to-multipoint outdoor bridge deployment with standalone (autonomous) 802.11 bridge units. 802.1X/EAP will be used for bridge authentication. A Linux-based RADIUS server will be used for authentication. What device in the bridge implementation acts as the 802.1X Authenticator?

- A. The Ethernet switch
- B. The RADIUS server
- C. All non-root bridges
- D. The root bridge

Correct Answer: D

QUESTION 3

You recently purchased four laptops containing dual-band 802.11ac adapters. The laptops can connect to your 2.4 GHz network, but they cannot connect to the 5 GHz network. The laptops do not show the 5 GHz SSIDs, which are different than the 2.4 GHz SSIDs. Existing devices can connect to the 5 GHz SSIDs with no difficulty. What is the likely problem?

- A. Interference from non-Wi-Fi sources
- B. Faulty drivers
- C. DoS attack
- D. Interference from other WLANs

Correct Answer: D

QUESTION 4



https://www.leads4pass.com/cwna-108.html

2024 Latest leads4pass CWNA-108 PDF and VCE dumps Download

In which plane of the three networking planes is an access point configured by a WLAN controller?

- A. Control
- B. Management
- C. Security
- D. Data

Correct Answer: B

Reference

https://books.google.com.pk/books?id=HQxhBgAAQBAJandpg=PA343andlpg=PA343anddq=plane+of+the+three +networking+planes+is+an+access+point+configured+by+a+WLAN +controllerandsource=blandots=Gqcr0edoC1andsig=aiXdcrWSHcgrRrznuWplCAibprMandhl=enandsa=Xandved=0ahU

KEwiWmqmcj6vZAhVJy6QKHTnhDt0Q6AEIPTAE#v=onepageandq=plane%20of%20the%20three% 20networking%20planes%20is% 20an%20access%20point%20configured%20by%20a%20WLAN% 20controllerandf=false

QUESTION 5

A non-802.11 device is suspected of causing interference on the WLAN. You are not certain of the location or type of device. What is the best solution for locating this non-802.11 device?

- A. Access point spectrum analyzer
- B. Laptop-based spectrum analyzer with an omni-directional antenna
- C. Laptop-based spectrum analyzer with an omni-directional antenna
- D. Laptop-based spectrum analyzer with a directional antenna

Correct Answer: D