

## DC0-200<sup>Q&As</sup>

Certified Server Professional Exam

**Pass Dell DC0-200 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/dc0-200.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Dell Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

What is the intended mounting location for a 0U rack mount device in a Dell rack?

- A. in the mounting holes in the side walls of the rack
- B. in any of the 42U spaces available
- C. on the back doors of the rack
- D. at the top of the rack

Correct Answer: A

---

## QUESTION 2

What are the two default URLs for accessing OMSA on a remote server? (Choose two.)

- A. <https://ipaddress:443>
- B. <http://hostname:1311>
- C. <https://hostname:1311>
- D. <http://ipaddress:1311>
- E. <https://ipaddress:1311>

Correct Answer: CE

---

## QUESTION 3

What is the purpose of the battery on a PERC?

- A. saves the cache contents during a power loss
- B. provides power to the PERC controller
- C. preserves the hard drive configuration
- D. maintains the PERC BIOS settings

Correct Answer: A

---

## QUESTION 4

You can obtain the Dell Utility Partition in which two ways? (Choose two.)

- A. It can be installed from the DSA CD before an OS is installed.

- B. Download the install file from [www.dell.com](http://www.dell.com).
- C. It can be installed from the OpenManage Documentation CD.
- D. It is included on the hard drive from the factory.

Correct Answer: AD

---

## QUESTION 5

Why is memory interleaving used?

- A. to provide speed improvements by accessing memory in parallel
- B. to provide speed improvements by allowing addressing to be set for the next access to the same DIMM, while data are being read from the previous access
- C. to provide redundancy by maintaining parity information on the DRAM to detect and correct single bit errors
- D. to provide redundancy by allowing defective memory to be disabled

Correct Answer: A

[Latest DC0-200 Dumps](#)

[DC0-200 VCE Dumps](#)

[DC0-200 Exam Questions](#)