

DC0-261^{Q&As}

Dell Storage Networking Professional Exam - Version 2

Pass Dell DC0-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/dc0-261.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Dell Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

If you cascaded one switch to another, your total ports available to nodes would be .

- A. the sum of the total ports, less the number of ports used for ISL connections
- B. the sum of the total ports, divided by the number of switches in the fabric
- C. the aggregate number of ports, less two ports for F_Port connections
- D. the aggregate number of ports available in both switches

Correct Answer: A

QUESTION 2

On the CX700 array, which two statements will properly connect the SPE to the DAE2 enclosures? (Choose two.)

- A. Back-end loop 1 connects to the first DAE2.
- B. Back-end loop 0 connects to the second DAE2.
- C. Additional DAE2s in each loop are attached by cabling the EXP ports to the PRI ports.
- D. Back-end loop 1 connects to the second DAE2.

Correct Answer: CD

QUESTION 3

Which LUN duplication method would have the least initial performance impact on a source LUN to create and be the easiest and least costly to implement?

- A. clone the source LUN, then mount it from a second host
- B. take a snapshot of the source LUN, then mount it from a second host
- C. mirror the source LUN to a second host
- D. use SAN Copy to copy the source LUN

Correct Answer: B

QUESTION 4

You are concerned that the loss of an SP might cause you to lose all of your existing snapshot sessions.

What should you do to prevent losing existing snapshot sessions?

- A. add a UPS to the storage array
- B. usePowerPath to gain failover support
- C. Nothing, the Vaulting process automatically saves all snapshots to disk in the PSM LUN.
- D. select the Persistent mode when starting a snapshot session

Correct Answer: D

QUESTION 5

Which four statements are true of zoning in Dell / EMC Storage Area Networks (SANs)? (Choose four.)

- A. Multiple initiators can participate in a single zone.
- B. Both zoning by port address and by World Wide Name (WWN) can be implemented, but only WWN zoning is currently supported in D/E SANs.
- C. Zoning is implemented at the switch level.
- D. Zones are not limited by proximity within a SAN.
- E. Zoning provides barriers or logical boundaries between different devices in a SAN.

Correct Answer: BCDE

[DC0-261 PDF Dumps](#)

[DC0-261 VCE Dumps](#)

[DC0-261 Braindumps](#)