

DCA^{Q&As}

Docker Certified Associate (DCA) Exam

Pass Docker DCA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/dca.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Docker
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Is this a supported user authentication method for Universal Control Plane? Solution: PAM

A. Yes

B. No

Correct Answer: B

QUESTION 2

The following health check exists in a Dockerfile:

```
\\HEALTHCHECK
```

```
CMD curl --fail http://localhost/health || exit 1
```

Which of the following describes its purpose?

A. Defines the action taken when container health fails, which in this case will kill the container with exit status 1.

B. Defines the health check endpoint on the localhost interface for external monitoring tools to monitor the health of the docker engine.

C. Defines the health check endpoint on the local host interface for containers to monitor the health of the docker engine.

D. Defines the health check for the containerized application so that the application health can be monitored by the Docker engine

Correct Answer: A

QUESTION 3

You are troubleshooting a Kubernetes deployment called api, and want to see the events table for this object.

Does this command display it?

Solution: `kubectl describe deployment api`

A. Yes

B. No

Correct Answer: A

QUESTION 4

Which statement is true?

- A. CMD shell format uses this form ["param", param, "param"]
- B. ENTRYPOINT cannot be used in conjunction with CMD
- C. CMD is used to run the software in the image along with any arguments
- D. ENTRYPOINT cannot be overridden in the "docker container run" command

Correct Answer: A

QUESTION 5

The following Docker Compose file is deployed as a stack: Is this statement correct about this health check definition?

```
version: '3.1'
services:
  app:
    image: app:1.0
    healthcheck:
      test: "curl --fail http://localhost/health || exit 1"
      interval: 10s
      timeout: 5s
      retries: 3
```

Solution: Health checks test for app health ten seconds apart. Three failed health checks transition the container into "unhealthy" status.

- A. Yes
- B. No

Correct Answer: A

[Latest DCA Dumps](#)

[DCA VCE Dumps](#)

[DCA Braindumps](#)