

DEA-41T1^{Q&As}

Associate – PowerEdge

Pass EMC DEA-41T1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/dea-41t1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

DRAG DROP

A server administrator needs to configure a static IP for the iDRAC on their server.

What is the correct sequence to accomplish this through the LCD?

Select and Place:

Answer Area

Select Network Settings	Step 1
Select Edit	Step 2
Select Static IP	Step 3
Select Settings	Step 4
Set IP Address and Subnet	Step 5
Set Gateway and Save	Step 6

Correct Answer:

Answer Area



QUESTION 2

How does GPGPU compare to CPU in a Dell EMC PowerEdge server?

- A. GPGPU is somewhat limited on running instructions concurrently, and CPU simultaneously executes a single instruction stream on multiple data elements
- B. GPGPU is only used for video output in servers, and CPU is used for computational power
- C. GPGPU has no memory on its own and fully relies on RAM, but CPU memory resource is reduced by 20GB per installed GPGPU
- D. GPGPU simultaneously executes a single instruction stream on multiple data elements, and CPU is somewhat limited on running instructions concurrently

Correct Answer: B

Reference: https://en.wikipedia.org/wiki/General-purpose_computing_on_graphics_processing_units

QUESTION 3

What is an accurate statement regarding 40 Gbps Ethernet ports?

- A. Can be used as a single 40 Gb connector or used as four 10 Gb connections
- B. Cannot be configured into a stack connection
- C. Must be segmented into four independent 10 Gb connections
- D. May only be used as a non-negotiable, single 40 Gb link

Correct Answer: C

QUESTION 4

What is a backup process?

- A. Capturing historical records used for future reference and is not actively used by the server.
- B. Using server technologies data from one computer node to another.
- C. Moving data that is no longer actively used to a separate storage device, for long-term retention.
- D. Copying files to a secondary site for preservation in case of equipment failure or other catastrophe.

Correct Answer: D

QUESTION 5

A server room has two power grids, A and B. PSU1 on each server is on grid A, and PSU2 is on grid B. Grid B has significantly lower load compared to grid A. What is the most likely cause of the unbalanced power load?

- A. PSU1 is a higher wattage power supply than PSU2
- B. Hot spare feature is enabled in power supply configuration
- C. PSU1 is always the primary power supply
- D. UPS and PDU are not installed to balance the load

Correct Answer: C

[Latest DEA-41T1 Dumps](#)

[DEA-41T1 PDF Dumps](#)

[DEA-41T1 Study Guide](#)