

# DEA-5TT1<sup>Q&As</sup>

Associate - Networking Exam

# Pass EMC DEA-5TT1 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/dea-5tt1.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1
Which Layer 1 device can be used to enlarge the area covered by a single LAN segment?
A. Router
B. Repeater
C. Switch
D. NIC
Correct Answer: B
OUESTION 2
QUESTION 2
On Switch A, a static route has been redistributed into OSPF. Which type of OSPF router will this process make Switch A?
A. Autonomous System Boundary Router (ASBR)
B. Designated router (DR)
C. Area Border Router (ABR)
D. Backbone Router (BR)
Correct Answer: A
QUESTION 3
Which option is used to configure Network Address Translation (NAT) to provide one-to-one mapping between local and global addresses?
A. Outside source static
B. Overload
C. Inside source static
D. PAT
Correct Answer: C

### **QUESTION 4**

Which IPv6 scope is used for private addressing on a local network?

A. Global



## https://www.leads4pass.com/dea-5tt1.html

2024 Latest leads4pass DEA-5TT1 PDF and VCE dumps Download

- B. Area wide
- C. Unique local
- D. APIPA

Correct Answer: C

#### **QUESTION 5**

A network administrator is troubleshooting an OSPF routing issue. There are two paths to a destination network from one switch. In addition, one path is comprised of four 1 Gb links. The other path is comprised of two 1 Gb and two 100 Mb links. The administrator ran several trace routes and notices that the packets are swapping back and forth between the two paths.

Which corrective action must be taken on the switch infrastructure to correct this issue?

- A. Manually specify the OSPF Router ID on each switch within the path.
- B. Break the paths into multiple OSPF areas.
- C. Change the reference speed used by OSPF in cost calculations on all switches within the path.
- D. Switch all routing protocols to RIPv2.

Correct Answer: C

DEA-5TT1 Practice Test

DEA-5TT1 Study Guide

**DEA-5TT1 Exam Questions**