

DEA-5TT1^{Q&As}

Associate - Networking Exam

Pass EMC DEA-5TT1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/dea-5tt1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What accurately describes IPv6 addressing?

- A. IPv6 addresses are denoted by eight groups of four hexadecimal numbers.
- B. IPv6 uses 128 hexadecimal numbers instead of the 32 hexadecimal numbers used by IPv4.
- C. IPv6 is used to converse IP addresses and utilize private addresses.
- D. IPv6 uses broadcast addresses for neighbor discovery.

Correct Answer: A

Reference: https://en.wikipedia.org/wiki/IPv6_address#:~:text=An%20IPv6%20address%20is%20represented,0000%3A8a2e%3A0370%3A7334

QUESTION 2

What accurately describes the Network Time Protocol (NTP)?

- A. Implemented on a Dell EMC Network OS 6.
- B. Time synchronization algorithms do not account for clock drift.
- C. Client synchronizes among a set of distributed time servers.
- D. Client makes sudden changes in time to keep synchronized.

Correct Answer: C

QUESTION 3

On which Dell EMC Networking switches can Multi-Chassis Link Aggregation (MLAG) be configured?

- A. C9000 Series
- B. N-Series
- C. S-Series
- D. Z-Series

Correct Answer: B

QUESTION 4

Which port type does a Dell EMC Networking N-Series switch have for its console connection?

- A. DB9
- B. RJ-45
- C. USB A
- D. USB B

Correct Answer: A

Reference: https://downloads.dell.com/manuals/all-products/esuprt_ser_stor_net/esuprt_networking/esuprt_net_fxdprt_swch/networking-n3100-series_user%27s-guide10_en-us.pdf page 197

QUESTION 5

Which formula is used for calculating OSPF interface costs?

- A. Reference bandwidth \times interface bandwidth
- B. Reference bandwidth / interface bandwidth
- C. Reference bandwidth + interface bandwidth
- D. Interface bandwidth / reference bandwidth

Correct Answer: D

[DEA-5TT1 VCE Dumps](#)

[DEA-5TT1 Practice Test](#)

[DEA-5TT1 Exam Questions](#)