

## DES-1121<sup>Q&As</sup>

Specialist - Implementation Engineer PowerMax and VMAX Family  
Solutions Version 1.0

**Pass EMC DES-1121 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-1121.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

When listing the details of a snapshot, what does "Total Deltas" reference?

- A. Difference between the source and target
- B. Difference between the snapshot and the target
- C. Difference between the snapshot and the source
- D. Difference between the snapshot and a newer snapshot

Correct Answer: D

---

**QUESTION 2**

An administrator is using Unisphere for PowerMax Workload Planner to assess the performance and compliance of a PowerMax Storage Group (SG) How does the Planner calculate if the Storage Group workload is stable?

- A. Both calculated values are within a 10-15% threshold of the SL-defined response time
- B. Both calculated values are within the SL-defined response time
- C. One of the calculated values remains within the SL-defined response time
- D. One of the calculated values is within 10-20% of the SL-defined response time

Correct Answer: D

---

**QUESTION 3**

A host is connected to two PowerMax arrays with SRDF/Metro Host I/Os cannot be delivered across the SRDF link. The devices in the SRDF group have been forced into a Not Ready state to the host Which attribute is set on the SRDF group to cause this behavior?

- A. Local Link Domino
- B. Local Auto Link Recovery
- C. Update After Resume Link
- D. Limbo Period

Correct Answer: C

---

**QUESTION 4**

What does a service level define\*?

- A. Expected average throughput for a Storage Group
- B. Expected average response time target for a Storage Group
- C. Expected average response time target for a disk group
- D. Expected average throughput for a disk group

Correct Answer: B

---

## QUESTION 5

A systems administrator has decommissioned a host with two devices allocated to it. What must the administrator do prior to deleting the devices?

- A. Remove the device attribute
- B. Unmap from the front-end ports
- C. Remove the Storage Group
- D. Delete the Initiators

Correct Answer: C

[Latest DES-1121 Dumps](#)

[DES-1121 PDF Dumps](#)

[DES-1121 Practice Test](#)