

DES-1241^{Q&As}

Specialist - Platform Engineer, PowerStore

Pass Dell DES-1241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-1241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Dell Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A Storage Administrator needs to connect through SSH to run svc commands. How is the SSH session configured?

- A. Appliance IP address using port 22
- B. NAS server IP address using port 26
- C. NAS server IP address using port 22
- D. Appliance IP address using port 26

Correct Answer: C

QUESTION 2

What are the recommended number of network switches in a Dell EMC PowerStore T environment?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: A

Reference: <https://www.dell.com/support/manuals/pk/en/pkbsd1/powerstore-9000t/pwrstr-ntwk-plang/powerstore-t-model-appliance-networks?guid=guid-97a3e988-c1bc-4f51-a445-3af23f19da1bandlang=en-us>

QUESTION 3

How many fan module failures can a node tolerate?

- A. 0
- B. 1
- C. 2
- D. 3

Correct Answer: B

Reference: <https://www.dell.com/en-us/collaterals/unauth/white-papers/products/storage/h18149-dell-emc-powerstore-platform-introduction.pdf> (14)

QUESTION 4

What does the output of the PSTCLI command "nas_server show" display from a Dell EMC PowerStore T?

- A. If NAS servers are present if they are either NFS or Licensed
- B. Memory utilization and thread count for NFS NAS servers
- C. If NAS servers are present and if they are either Started or Degraded
- D. SIDs of SMB NAS servers joined to the AD Domain

Correct Answer: A

QUESTION 5

What method is used to power down a Dell EMC PowerStore system in a true emergency situation?

- A. Run svc_node shutdown
- B. Power Down Cluster in PowerStore GUI
- C. Turn off the cabinet switches
- D. Remove base enclosure power cables

Correct Answer: C

Reference: <https://www.dell.com/support/manuals/pk/en/pkbsd1/powerstore-1000/pwrstr-isg/power-control-procedure-considerations?guid=guid-4352c94e-0ae7-4a2e-8593-9ae135bb9e34&lang=en-us>

[Latest DES-1241 Dumps](#)

[DES-1241 PDF Dumps](#)

[DES-1241 Practice Test](#)