

DES-1241^{Q&As}

Specialist - Platform Engineer, PowerStore

Pass Dell DES-1241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-1241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Dell Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What describes the ICM and ICD networks?

- A. Address type is dynamic and automatically reconfigured on discovery results
- B. They are NOT encrypted
- C. Address type is persistent throughout the life of the cluster and CANNOT to be modified
- D. They are encrypted with IPsec

Correct Answer: D

QUESTION 2

Which account credentials are needed to run diagnostic commands?

- A. root
- B. service
- C. console
- D. admin

Correct Answer: B

This service script is used as your first tool, when diagnosing issues with your system.

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ssg/system-diagnostics-svcdiag?guid=guid-60da6cdd-277e-4112-bf41-d4036badc847&lang=en-us>

QUESTION 3

A Storage Administrator needs to add drives to a base enclosure of a Dell EMC PowerStore 3000X system. The system currently contains 10 750-GB NVMe SCM drives. Which drive configuration maximizes the base enclosure capacity?

- A. 11 750-GB NVMe SCM drives in skits 10-20
- B. 13 15360-GB NVMe SSD drives in slots 10-22
- C. 13 750-GB NVMe SCM drives in slots 10-22
- D. 11 15360-GB NVMe SSD drives in slots 10-20

Correct Answer: A

QUESTION 4

During an emergency event an ESD-Kit is unavailable for FRU replacement. How can the work proceed?

- A. If FRU does not contain ESD-Kit, continue without it
- B. Order "Emergency ESD-Kit" ASAP
- C. Follow precautions described in the "Emergency Procedure"
- D. Use package material to build "provisional ESD-Kit"

Correct Answer: C

QUESTION 5



Refer to the exhibit.

What is indicated when the circled LED on the node embedded module is illuminated solid amber?

- A. System is booting
- B. Module is faulted
- C. Node is faulted
- D. Cluster is uninitialized

Correct Answer: B

Reference: <https://www.dell.com/support/article/en-pk/sln321266/powerstore-understanding-led-colors-and-states-for-troubleshooting?lang=en>

[DES-1241 PDF Dumps](#)

[DES-1241 VCE Dumps](#)

[DES-1241 Braindumps](#)