# DES-4122<sup>Q&As</sup>

Specialist - Implementation Engineer PowerEdge Version 2.0

### Pass EMC DES-4122 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/des-4122.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



## Leads4Pass

#### **QUESTION 1**

What must be done before upgrading OMSA from the 32-bit to the 64-bit version?

- A. Save the license file
- B. Disable UAC
- C. Back up the configuration
- D. Uninstall the earlier version

Correct Answer: A


#### **QUESTION 2**

What happened on April 30, 2019?

ashbo D Gracefu		ge V Configuration	V 🖻 Maintenance V	●• iDRAC Settings ~	
	h Information	System Information		Task Summary	
System H	Health Storage Health	Power State Model Host Name Operating System	ON PowerEdge R640	Pending Jobs: 0	
E		Operating System Version Service Tag BIOS Version IDRAC Firmware Version	PSTC123 2.5.4 4.10.10.10	No In-Progress Jobs	
		IP Address(es) IDRAC MAC Address	123.123.123.123 84.7b;123456:78	Completed Jobs: 0 No Completed Jobs	
		Ucense	Enterprise		
Decor	1 005	License	Enterprise view all	Virtual Console	Setting
Recen		License	view all Date and Time	Virtual Console	Setting
everity	Description		view all	Virtual Console	Setting
everity			view all Date and Time	Virtual Console	Setting
everity	Description The input power for power supply 2 ha		view all Date and Time Mon 23 Mar 2020 12:06:20	Virtual Console	
everity	Description The input power for power supply 2 ha		view all Date and Time Mon 23 Mar 2020 12:06:20 Mon 23 Mar 2020 12:06:12		
everity	Description The input power for power supply 2 ha	as been restored.	view all Date and Time Mon 23 Mar 2020 12:06:20 Mon 23 Mar 2020 12:06:12 view all Date and Time Mon 23 Mar 2020 12:06:20		
everity	Description The input power for power supply 2 hand the supply 2 h	as been restored.	view all Date and Time Mon 23 Mar 2020 12:06:20 Mon 23 Mar 2020 12:06:12 view all Date and Time		Setting
everity	Description The input power for power supply 2 hand int Logs Description The input power for power supply 2 h The power supplies are redundant.	as been restored.	view all Date and Time Mon 23 Mar 2020 12:06:20 Mon 23 Mar 2020 12:06:12 view all Date and Time Mon 23 Mar 2020 12:06:20		
everity	Description The input power for power supply 2 hand Int Logs Description The input power for power supply 2 h	as been restored.	view all Date and Time Mon 23 Mar 2020 12:06:20 Mon 23 Mar 2020 12:06:12 view all Date and Time Mon 23 Mar 2020 12:06:20 Mon 23 Mar 2020 12:06:12		Setting

### Leads4Pass

Note: It is necessary to dose (x) the simulator window before you can select a response to this question.



- A. Option A
- B. Option B
- C. Option C
- D. Option D
- Correct Answer: C

#### **QUESTION 3**

A technician installs eight servers into a fully operational rack with top of rack switch Each server has a quad 1Gb NIC and redundant power supplies The company uses iDRAC in shared LOM mode with LOM1 as the selected NIC

What should the technician do to verify iDRAC connectivity on each server?

- A. iDRAC Datacenter license is installed.
- B. Ethernet port LOM1 is cabled and the link light is green.
- C. iDRAC dedicated NIC port is cabled and the link light is green
- D. iDRAC Enterprise license is installed

Correct Answer: C

#### **QUESTION 4**

What is required to use the iSM Automatic System Recovery feature?

- A. Server Administrator installed
- B. OS watchdog timer disabled
- C. Server Administrator not installed
- D. OS watchdog timer enabled

Correct Answer: B

#### **QUESTION 5**

What is the drive characteristic of a BOSS M.2 drive in a Dell EMC PowerEdge server?

- A. Single-level cell
- B. Read Intensive
- C. Quad-level cell
- D. Write Intensive
- Correct Answer: A

Latest DES-4122 Dumps

DES-4122 PDF Dumps

DES-4122 Study Guide