

## DES-5121<sup>Q&As</sup>

Specialist - Implementation Engineer - Campus Networking Exam

**Pass EMC DES-5121 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-5121.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

```
console#show ip access-list broadcast

IP ACL Name: broadcast

Outbound Interface(s) :
Gi1/0/1

Rule Number: 1000
Action.....deny
Match All.....FALSE
Protocol.....255 (ip)
Source IP Address.....any
Destination IP Address.....255.255.255.255
Destination IP Mask.....255.255.255.255
ACL Hit Count.....0

Rule Number: 1010
Action.....permit
Match All.....TRUE
ACL Hit Count.....0
```

A network administrator has created an ACL to block broadcast traffic to their server on port Gi1/0/1. Why is the ACL not functioning as desired?

- A. ACL is not applied in the correct direction
- B. ACLs do not support broadcast traffic
- C. Destination address mask is incorrect
- D. Destination IP address is incorrect

Correct Answer: A

---

**QUESTION 2**

What describes the POE+ capabilities of the Dell EMC N1100P Series?

- A. Supported on any of the first half of switch ports or the first 12 switch ports, whichever is fewer. May only be enabled on a maximum of half of the supported ports.
- B. Supported on any of the first 12 switch ports or all switch ports, whichever is fewer. May only be enabled on a maximum of half of the supported ports.
- C. Supported on all of the first 12 switch ports or all switch ports, whichever is fewer.
- D. Supported on all of the first half of switch ports or the first 12 switch ports, whichever is fewer.

Correct Answer: B

---

### QUESTION 3

Which Layer 3 protocol does MLAG support?

- A. None
- B. Static Routing
- C. OSPF
- D. RIPv2

Correct Answer: A

Reference: [http://files.rakurs.su/IT/Kommytatory/Dell/N4000/powerconnect\\_nx00-usingmlag-whtppr\\_en-us.pdf](http://files.rakurs.su/IT/Kommytatory/Dell/N4000/powerconnect_nx00-usingmlag-whtppr_en-us.pdf)

---

### QUESTION 4

An administrator just finished configuring a Dell EMC N-Series switch. After rebooting the switch, the administrator notices that all the configuration settings just entered are gone.

Which command did the administrator fail to enter?

- A. Copy running-config startup-config
- B. Copy running-config backup-config
- C. Copy startup-config backup-config
- D. Copy startup-config running-config

Correct Answer: A

---

### QUESTION 5

What happens when a match is found for an ACL with 15 entries?

- A. All packets which match that entry are forwarded
- B. Action from that entry is performed and the rest of the entries in the ACL are processed
- C. All packets which match that entry are dropped
- D. Action from that entry is performed and the ACL is exited

Correct Answer: D

[DES-5121 PDF Dumps](#)

[DES-5121 VCE Dumps](#)

[DES-5121 Braindumps](#)