

DES-6321^{Q&As}

Specialist - Implementation Engineer - VxRail Appliance Exam

Pass EMC DES-6321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-6321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is not a requirement for a VxRail External vCenter deployment?

- A. FQDN of the Embedded PSC
- B. FQDN of the vCenter Server
- C. An existing datacenter name to be used for the VxRail cluster
- D. Verification that the DNS server can resolve all VxRail ESXi hostnames

Correct Answer: D

Reference: <https://www.dell.com/et-ee/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15844-vxrail-4-0-vcenter-server-pg.pdf>

QUESTION 2

In a 5 node VxRail cluster in which all nodes are the same model, which cluster requires the least amount of rack space?

- A. G560
- B. E560
- C. S570
- D. V570

Correct Answer: D

QUESTION 3

You are performing a troubleshooting steps on a 4 node VxRail cluster. The cluster uses Erasure Coding for all VMs. When you attempt to put a node into maintenance mode using the recommended vSAN data migration policy, the operation fails.

What could be done to successfully put the node into maintenance mode?

- A. Use the 'No Data Migration' option
- B. Storage vMotion the VMs off the node
- C. Cold migrate the VMs off the node
- D. Use the 'Full Data Migration' option

Correct Answer: D

QUESTION 4

In a VxRail Stretched Cluster built from eight all-flash nodes, what should be the recommended storage policy to ensure the highest possible protection?

- A. Raid-1(Mirroring) FTT=1
- B. Raid-1(Mirroring) FTT=2
- C. Raid-5/6(Erasure Coding) FTT=1
- D. Raid-5/6(Erasure Coding) FTT=2

Correct Answer: B

QUESTION 5

Which user provided block of IP addresses to the VxRail initialization wizard may contain non-contiguous addresses?

- A. VMware Virtual SAN
- B. ESXi host
- C. vSphere vMotion
- D. NTP Servers

Correct Answer: D

[Latest DES-6321 Dumps](#)

[DES-6321 Practice Test](#)

[DES-6321 Braindumps](#)