

DES-6332^{Q&As}

Specialist - Systems Administrator - VxRail Appliance Exam

Pass EMC DES-6332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-6332.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A VxRail administrator is trying to run a Storage Performance Test for vSAN. However, they do not see that option in vCenter.

What could be the reason?

- A. vSphere version is 6.5.0 EP04
- B. vSphere version is 6.5.0 U1
- C. VxRail Manager version is 4.5.211
- D. VxRail Manager version is 4.5.101

Correct Answer: D

QUESTION 2

In the vSphere Client, where can an administrator view the health status of the VxRail disks?

- A. Cluster > Configure > vSAN > Disks
- B. Cluster > Monitor > vSAN > Physical Disks
- C. Host > Monitor > Physical View
- D. Host > Monitor > vSAN > Disks

Correct Answer: B

QUESTION 3

What are the vSAN storage policy settings applied to the VxRail Manager VM during initial setup?

- A. Primary level of failures to tolerate = 1 Failure tolerance method = Erasure coding Object space reservation (%) = 100
- B. Primary level of failures to tolerate = 1 Object space reservation (%) = 100
- C. Primary level of failures to tolerate = 1 Failure tolerance method = Mirroring Object space reservation (%) = 50
- D. Primary level of failures to tolerate = 2 Failure tolerance method = Mirroring

Correct Answer: C

QUESTION 4

What is a consideration when scaling a VxRail cluster?

- A. A maximum of 10 nodes is supported if 1 GbE networking is used
- B. The first two nodes in a standard cluster must be identical
- C. Mixing of all-flash and NVMe nodes is not allowed
- D. Mixing VxRail nodes with different base network speeds is not permitted

Correct Answer: C

QUESTION 5

What is a consideration when expanding a vSAN disk group in a VxRail cluster?

- A. vSAN licensing must be applied to the VxRail cluster
- B. vSAN performance will be negatively impacted during expansion
- C. Deduplication and compression must be disabled for the disk group
- D. At least one capacity disk must be added along with a cache disk

Correct Answer: D

[DES-6332 PDF Dumps](#)

[DES-6332 Exam Questions](#)

[DES-6332 Braindumps](#)