

DES-DD23^{Q&As}

Implementation Engineer - PowerProtect DD

Pass EMC DES-DD23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/des-dd23.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the maximum capacity for a DDVE?

- A. 64 TB
- B. 96 TB
- C. 128 TB
- D. 256 TB

Correct Answer: D

Reference: <https://aws.amazon.com/marketplace/pp/prodview-2x2p43yvgswtm>


QUESTION 2

What are some key benefits of performing backups and recoveries with a PowerProtect DD appliance?

- A. Reduction in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery
- B. Increase in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery
- C. Reduction in the overall size and scope Elimination of physical tape Number of copies that do not need to be tracked Increased speed of disaster recovery
- D. Increase in the overall size and scope Elimination of physical tape Number of copies that do not need to be tracked Increased speed of disaster recovery

Correct Answer: B

QUESTION 3



Refer to the exhibit.

To which shelf and port should SAS HBA slot 1 port B be connected?

- A. Shelf 04 BH
- B. Shelf 01 BH
- C. Shelf 04 BE
- D. Shelf 01 BE

Correct Answer: A

QUESTION 4

What rule must be followed during an upgrade procedure with the FS25 expansion shelf?

- A. FS25 shelf is cabled on a separate private chain
- B. For high performance, the connections from a controller to FS25 shelves must be over FC cables
- C. FS25 shelf must be on the same chain with DS60
- D. If ES40 SAS shelves are on the same chain as an FS25, the maximum number of shelves on that chain is five

Correct Answer: A

Reference: <https://www.dell.com/support/kbdoc/en-pk/000082030/71624-memory-requirements-and-storage-configurations>

QUESTION 5

What system role is required to create the second security officer for a PowerProtect DD?

- A. admin
- B. sysadmin
- C. limited-admin
- D. security officer

Correct Answer: C

[DES-DD23 VCE Dumps](#)

[DES-DD23 Exam Questions](#)

[DES-DD23 Braindumps](#)