

E20-007^{Q&As}

Data Science and Big Data Analytics

Pass EC-COUNCIL E20-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EC-COUNCIL Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the mandatory Clause that must be included when using Window functions?

- A. OVER
- B. RANK
- C. PARTITION BY
- D. RANK BY

Correct Answer: A

QUESTION 2

Consider these itemsets:

(hat, scarf, coat)

(hat, scarf, coat, gloves)

(hat, scarf, gloves)

(hat, gloves)

(scarf, coat, gloves)

What is the confidence of the rule (hat, scarf) -> gloves?

- A. 66%
- B. 40%
- C. 50%
- D. 60%

Correct Answer: A

QUESTION 3

What describes a true property of Logistic Regression method?

- A. It is robust with redundant variables and correlated variables.
- B. It handles missing values well.
- C. It works well with discrete variables that have many distinct values.
- D. It works well with variables that affect the outcome in a discontinuous way.

Correct Answer: A

QUESTION 4

Which graphical representation shows the distribution and multiple summary statistics of a continuous variable for each value of a corresponding discrete variable?

- A. box and whisker plot
- B. dotplot
- C. scatterplot
- D. binplot

Correct Answer: A

QUESTION 5

When would you prefer a Naive Bayes model to a logistic regression model for classification?

- A. When you are using several categorical input variables with over 1000 possible values each.
- B. When you need to estimate the probability of an outcome, not just which class it is in.
- C. When all the input variables are numerical.
- D. When some of the input variables might be correlated.

Correct Answer: A

[Latest E20-007 Dumps](#)

[E20-007 Study Guide](#)

[E20-007 Braindumps](#)