

E20-357^{Q&As}

Isilon Solutions Specialist Exam for Implementation Engineers

Pass EMC E20-357 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/e20-357.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What configuration is required for clients to have the same user identity on both source and target clusters?

- A. Both clusters must be connected to the same LDAP and AD servers
- B. Both clusters must have the same SMB shares and NFS exports
- C. The SyncIQ policy must be a '\\copy\\' policy
- D. The SyncIQ policy must be a '\\sync\\' policy

Correct Answer: A

QUESTION 2

You are onsite to deploy an EMC Isilon cluster that is already racked and cabled. What serial settings must be used to initially configure this cluster?

- A. 9,600 bps, 8 data bits, no parity, 1 stop bit, hardware flow control
- B. 38,400 bps, 8 data bits, no parity, 1 stop bit, software flow control
- C. 115,200 bps, 8 data bits, no parity, 1 stop bit, hardware flow control
- D. 128,000 bps, 8 data bits, no parity, 1 stop bit, software flow control

Correct Answer: C

QUESTION 3

What client protocols are supported to provide access to EMC Isilon clusters?

- A. SMB, NFS, HTTP, FTP, and HDFS
- B. AFP, CIFS, NFS, TCP, and UDP
- C. SMB, NFS, HTTP, FTP, and SMTP
- D. TFTP, CIFS, NFS, SSL, and TCP

Correct Answer: A

QUESTION 4

A customer is worried about the possibility of exceeding the node pool storage capacity when a data rebuild is required from a failed hard drive.

What configuration setting(s) should be verified and included when you configure the cluster?

- A. Enable VHS, and deny data writes to reserved disk space
- B. Enable L3 cache
- C. Enable GNA
- D. Increase the node pool default requested protection level

Correct Answer: A

QUESTION 5

You are configuring DNS to work with SmartConnect zones. What is the best practice recommendation to the customer?

- A. Set TTL on NS records to zero
- B. Use Linux-based DNS
- C. Use Windows-based DNS
- D. Set TTL on A records to zero

Correct Answer: A

[Latest E20-357 Dumps](#)

[E20-357 Exam Questions](#)

[E20-357 Braindumps](#)